

Technical	Data She	et					M.
Article-No.:	118-108						
Description:	Nature Gloves Black Nitrile examination glove black, non sterile, powder free						er Bask (*
THICKNESS							
cuff	palm fir	ngertips					
0,06 mm	0,08 mm 0,	,10 mm					
PRODUCT DESCRIP	TION						
material	Latex	☑ Nitrile	Vinyl	Vinyl-Nitrile- mixture	<ul><li>Polyethy-lene (PE)</li></ul>	TPE	Cotton
colour	white	blue	✓ black	mint	purple	mix	apple-green
characteristics			sterile	☑ non sterile	<ul> <li>✓ ambidex- trous</li> </ul>	fits hand- specific	✓ biodgra- dable
surface	└ full textured	finger textured	□ not textured	└┘ embossed	☑ chlorinated ins	side	
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width length	≤ 80 mm ≥ 240 mm	80 ± 10 mm ≥ 240 mm	95 ± 10 mm ≥ 240 mm	110 ± 10 mm ≥ 240 mm	115 ± 10 mm ≥ 240 mm	-	-
		2 240 11111	2 240 11111	2 240 11111	2 240 11111	-	_
REGULATORY AFFA							
PPE-Regulation (EU) 2016/425	Category I	Category II	Category III	no PPE-article			
MD-Regulation	Class I	Class II a	Class III	□ sterile	measuring	no medical	CE
(EU) 2017/745					function	device	
Food Contact (EG) 1935/2004	☑ acidic foods	☑ aqueous foods	✓ fatty foods	✓ alcoholic foods	dry foods	not approved for food-	۶ï
						contact	
STANDARDISATION EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	resistance Coupe-Test		resistance	resistance TDM-Test	inpact test	
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	l
Chemical Risks	n-Heptane		J	0	< 10 min	57,9 %	ISO 374-1/Type C
	Sodium hydroxide Hydrogen Peroxide		K P	6 1	> 480 min > 10 min	-86,6 % 4,1 %	し、き
EN 374-4 Degradation	Formaldehyde 37%		T	4	> 10 min	2,2 %	
Degradation	· · · · ·					,	
EN 374-5 microorganism tightness	The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B.					EN ISO 374-5:2016	
EN ISO 21420 protective gloves	The glove meets the requirements according to EN ISO 21420						
EN 455 medical gloves for single use	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4				EN 455		
EN 455-1 freedom from holes	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)					AQL (1.5)	
ISO 18889 Pesticide application	not applicable						



AMPri Handelsgesellschaft mbH Benzstraße 16

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

## **Technical Data Sheet**

Article-No.: 118-108

**Description:** 

Nature Gloves Black Nitrile examination glove black, non sterile, powder free

LOGISTIC DATA	SUBPACKING		
generell information	on		
material		carton	
pieces per subpack	ing	100	
GTIN subpacking si	ze XS	4044941730790	
GTIN subpacking si	ze S	4044941730813	
GTIN subpacking si	ze M	4044941730837	
GTIN subpacking size L		4044941730851	
GTIN subpacking size XL		4044941730875	
GTIN subpacking size XXL		-	
GTIN subpacking size XXXL		-	
PZN subpacking size XS		18782807	
PZN subpacking size S		18782799	
PZN subpacking size M		18782782	
PZN subpacking size L		18782753	
PZN subpacking size XL		18782747	
PZN subpacking size XXL		-	
PZN subpacking size XXXL		-	
measures & size			
length		215 mm	
width		120 mm	
heigth		60 mm	
weights			
size	net weight	gross weight	
XS	320 g	380 g	
S	350 g	410 g	
М	380 g	440 g	
L	400 g	460 g	
XL	440 g	500 g	
XXL	-	-	
XXXL	-	-	

LOGISTIC DATA PALETTE				
general informatio	n			
kind of palett		euro-palette		
measures & size				
cartons per layer		10		
layers per palette		8		
heigth of the palette		199 cm		
weights				
size	net weight	gross weight		
XS	344 g	369 g		
S	368 g	393 g		
М	392 g	417 g		
L	408 g	433 g		
XL	440 g	465 g		
XXL	-	-		
XXXL	-	-		



	OUTER PACKING		
generell information	on		
material	carton		
subpackings per ou	10		
GTIN outer packing	size XS	4044941730806	
GTIN outer packing	4044941730820		
GTIN outer packing	4044941730844		
GTIN outer packing	4044941730868		
GTIN outer packing	4044941730882		
GTIN outer packing	-		
GTIN outer packing	-		
PZN outer packing	-		
PZN outer packing	size S	-	
PZN outer packing	size M	-	
PZN outer packing	-		
PZN outer packing	-		
PZN outer packing	-		
PZN outer packing	-		
measures & size			
length		315 mm	
width		255 mm	
heigth		230 mm	
weights			
size	net weight	gross weight	
XS	3.800 g	4.300 g	
S	4.100 g	4.600 g	
Μ	4.400 g	4.900 g	
L	4.600 g	5.100 g	
XL	5.000 g	5.500 g	
XXL	-	-	
XXXL	-	-	



e-mail: info@ampri.de

## **Technical Data Sheet**

Article-No.: **118-108** 

Description:

Nature Gloves Black Nitrile examination glove black, non sterile, powder free



## WARNINGS AND SAFETY INFORMATION

storage / expiry	Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone				
date	sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general condition of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.				
use and control	Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that				
	the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage.				
disposal	Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.				
disinfection	Disinfection is not intended for these gloves and is the responsibility of the user.				
warnings/	Protective gloves are intended for single use only.				
allergy information	This product contains dithiocarbamates, which may cause allergic reactions				
donning and					
doffing instructions					