

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

4MPri

Article-No.: 01178

Description: STYLE HOT CHILI

Nitrile examination glove red, non sterile, powder free





0,00	0,001	120					
PRODUCT DESCRIP	TION						
material	Latex	✓ Nitrile	□ Vinyl	☐ Vinyl-Nitrile- mixture	Polyethy-lene (PE)	□ ТРЕ	cotton
colour	☐ white	☐ blue	black	☐ mint	☐ purple	☐ mix	☑ red
characteristics	☐ prepowdered	powderfree	☐ sterile	✓ non sterile	☑ ambidex- trous	☐ fits hand- specific	☐ biodgra- dable
surface	☐ full textured	finger textured	not textured	☐ embossed	chlorinated ins	side	
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
REGULATORY AFF							
PPE-Regulation (EU) 2016/425	☐ Category I	☐ Category II		no PPE-article			
MD-Regulation	☑ Class I	☐ Class II a	☐ Class III	☐ sterile	☐ measuring	no medical	CE
(EU) 2017/745					function	device	
Food Contact	☑ acidic foods	☑ aqueous		☑ alcoholic	✓ dry foods	not approved	
(EG) 1935/2004		foods		foods	u.,	for food-	577
(20, 1555, 2004		10003		10003		contact	
						contact	
STANDARDISATION	V						
EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	resistance		resistance	resistance	•	
		Coupe-Test			TDM-Test		
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide	40%	К	6	> 480 min	15,1 %	ISO 374-1/Type B
Circinical Risks	Hydrogen Peroxide		Р	2	> 30 min	-74,1 %	
EN 374-4	Formaldehyde 37%		Т	5	> 240 min	24,0 %	
Degradation	7.2.2.1			-	-	,	
Degradation							
							КРТ
EN 374-5 microorganism tightness	The glove is tight a	gainst microorganis	sms (viral, bacteria a	and fungi). Test acco	ording to ISO 16604 -	method B.	EN 150 374-5:2016 VIRUS
EN ISO 21420 protective gloves	The glove meets th	ne requirements acc	cording to EN ISO 21	420			
EN 455 medical gloves for single use	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4			EN 455			
EN 455-1	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)			AQL			
freedom from holes		•					(1.5)



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01178

Description: STYLE HOT CHILI


Nitrile examination glove red, non sterile, powder free


LOGISTIC DATA	SUBPACKING	
generell information	on	
material		carton
pieces per subpack	100	
GTIN subpacking si	ze XS	4044941026633
GTIN subpacking si	4044941026640	
GTIN subpacking si	4044941026657	
GTIN subpacking si	4044941026664	
GTIN subpacking si	4044941026671	
GTIN subpacking si	-	
GTIN subpacking si	-	
PZN subpacking siz	14819749	
PZN subpacking siz	14819726	
PZN subpacking siz	14819703	
PZN subpacking siz	14819695	
PZN subpacking siz	14819732	
PZN subpacking siz	-	
PZN subpacking siz	-	
measures & size		
length	215 mm	
width	120 mm	
heigth	60 mm	
weights		
size	net weight	gross weight
XS	340 g	400 g
S	350 g	410 g
М	370 g	430 g
L	400 g	460 g
XL	440 g	500 g
XXL	-	-
XXXL	-	-

LOGISTIC DATA F	PALETTE		
general information	1		
kind of palett		euro-palette	
measures & size			
cartons per layer	10		
layers per palette		8	
heigth of the palette		199 cm	
weights			
size	net weight	gross weight	
XS	360 g	385 g	
S	368 g	393 g	
M	384 g	409 g	
L	408 g	433 g	
XL	440 g	465 g	
XXL	-	-	
XXXL	-	-	



LOGISTIC DATA	OUTER PACKING	
generell informatio	n	
material		carton
subpackings per out	ter packing	10
GTIN outer packing	4044941026688	
GTIN outer packing	4044941026695	
GTIN outer packing	4044941026701	
GTIN outer packing	4044941026718	
GTIN outer packing	4044941026725	
GTIN outer packing	-	
GTIN outer packing	-	
PZN outer packing s	-	
PZN outer packing s	ize S	-
PZN outer packing s	ize M	-
PZN outer packing s	-	
PZN outer packing s	-	
PZN outer packing s	-	
PZN outer packing s	-	
measures & size		
length	315 mm	
width	255 mm	
heigth	230 mm	
weights		
size	net weight	gross weight
XS	4.000 g	4.500 g
S	4.100 g	4.600 g
М	4.300 g	4.800 g
L	4.600 g	5.100 g
XL	5.000 g	5.500 g
XXL		=
XXXL	-	-





21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

-4MPri

Article-No.: 01178

STYLE HOT CHILI **Description:**

> Nitrile examination glove red, non sterile, powder free



WARNINGS AND SAFETY INFORMATION

storage / expiry date

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

warnings/ allergy information

Protective gloves are intended for single use only.

This product contains dithiocarbamates, which may cause allergic reactions

donning and doffing instructions











rev-no.: 6

date 10.09.2024 changes and errors excepted