

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de


## **Technical Data Sheet**

**4M**Pri

Article-No.: 01197

Description: **BLUE BASIC-PLUS** 

Nitrile examination glove blue, non sterile, powder free





9,6 :	0,00						
PRODUCT DESCRIP	TION						
material	Latex	✓ Nitrile	□ Vinyl	☐ Vinyl-Nitrile- mixture	Polyethy-lene (PE)	TPE	□ cotton
colour	white		black	mint	☐ purple	☐ mix	☐ apple-green
characteristics	□ prepowdered	powderfree	☐ sterile	✓ non sterile	☑ ambidex- trous	fits hand-	☐ biodgra- dable
surface	☐ full textured	finger textured	not textured	embossed	chlorinated ins		
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
REGULATORY AFF	AIRS						
PPE-Regulation (EU) 2016/425	☐ Category I	☐ Category II		☐ no PPE-article			
MD-Regulation	✓ Class I	Class II a	☐ Class III	☐ sterile	☐ measuring	no medical	CE
(EU) 2017/745					function	device	
Food Contact	☑ acidic foods	☑ aqueous	✓ fatty foods	☑ alcoholic	☑ dry foods	☐ not approved	
(EG) 1935/2004		foods	,	foods		for food-	קקא
` ' '						contact	JC1
STANDARDISATION	N		_				
EN 388 Mechanical Risks	abrasion resistance	blade cut resistance	tear resistance	puncture resistance	blade cut resistance	impact test	
Level	not applicable	Coupe-Test			TDM-Test		
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide	40%	К	6	> 480 min	-42,9 %	ISO 374-1/Type B
Chemical Risks	Hydrogen Peroxide		Р	2	> 30 min	22,8 %	
EN 374-4	Formaldehyde 37%		Т	3	> 60 min	5,0 %	
Degradation	,					,	
Degradation							VDT.
EN 374-5	The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B.						KPT EN 150 374-5:2016
microorganism tightness						VIRUS	
EN ISO 21420 protective gloves	The glove meets the requirements according to EN ISO 21420						
EN 455 medical gloves for single use	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4					EN 455	
EN 455-1 freedom from holes	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)					AQL	
ISO 18889 Pesticide application	not applicable						



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

# **Technical Data Sheet**

Article-No.: 01197

Description: **BLUE BASIC-PLUS** 


Nitrile examination glove blue, non sterile, powder free

LOGISTIC DATA	SUBPACKING		
generell informati	on		
material		carton	
pieces per subpack	king	200	
GTIN subpacking s	ize XS	4044941005300	
GTIN subpacking s	ize S	4044941005317	
GTIN subpacking s	ize M	4044941005324	
GTIN subpacking s	ize L	4044941005331	
GTIN subpacking s	4044941005348		
GTIN subpacking si	-		
GTIN subpacking si	-		
PZN subpacking siz	15577716		
PZN subpacking siz	e S	15577685	
PZN subpacking siz	e M	15577662	
PZN subpacking siz	e L	15577679	
PZN subpacking siz	e XL	15577691	
PZN subpacking siz	e XXL	-	
PZN subpacking siz	e XXXL	-	
measures & size			
length	240 mm		
width	128 mm		
heigth	80 mm		
weights			
size	net weight	gross weight	
XS	520 g	580 g	
S	580 g	640 g	
M	640 g	700 g	
L	700 g	760 g	
XL	760 g	820 g	
XXL	-	=	
XXXL	-	-	

LOGISTIC DATA PALETTE					
general information	า				
kind of palett		euro-palette			
measures & size					
cartons per layer		6			
layers per palette		7			
heigth of the palette		190 cm			
weights					
size	net weight	gross weight			
XS	265 g	290 g			
S	290 g	315 g			
M	315 g	340 g			
L	340 g	365 g			
XL	365 g	390 g			
XXL	-	-			
XXXL	-	-			



LOGISTIC DATA ( generell informatio				
material		carton		
subpackings per out	er packing	10		
GTIN outer packing	size XS	4044941005355		
GTIN outer packing	4044941005362			
GTIN outer packing	4044941005379			
GTIN outer packing	4044941005386			
GTIN outer packing	4044941005393			
GTIN outer packing	-			
GTIN outer packing	-			
PZN outer packing s	-			
PZN outer packing s	ize S	-		
PZN outer packing s	-			
PZN outer packing s	-			
PZN outer packing s	ize XL	-		
PZN outer packing s	-			
PZN outer packing s	-			
measures & size				
length	415 mm			
width	265 mm			
heigth	250 mm			
weights				
size	net weight	gross weight		
XS	5.800 g	6.300 g		
S	6.400 g	6.900 g		
M	7.000 g	7.500 g		
L	7.600 g	8.100 g		
XL	8.200 g	8.700 g		
XXL	-	-		
XXXL	-	-		





21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

### **Technical Data Sheet**

Article-No.: 01197

Description: **BLUE BASIC-PLUS** 

Nitrile examination glove blue, non sterile, powder free



#### WARNINGS AND SAFETY INFORMATION

storage / expiry date

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

#### use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

warnings/ allergy information Protective gloves are intended for single use only.

This product contains dithiocarbamates, which may cause allergic reactions

donning and doffing instructions











rev-no.: 8

date 16.09.2024 changes and errors excepted