




21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

## **Technical Data Sheet**

Article-No.: **01038**Description: **ECO-PLUS** 

Latex examination glove white, non sterile, powder free





PRODUCT DESCRIP	TION						
material	☑ Latex	Nitrile	□ Vinyl	☐ Vinyl-Nitrile-	Polyethy-lene	☐ TPE	□ cotton
				mixture	(PE)		
colour	✓ white	☐ blue	black	☐ mint	☐ purple	☐ mix	☐ apple-green
characteristics	□ prepowdered	powderfree	sterile	non sterile	☑ ambidex-	fits hand-	☐ biodgra-
					trous	specific	dable
surface	✓ full textured	finger	not textured	embossed	double chlorin	ated	
		textured					
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
REGULATORY AFFA	IRS						
PPE-Regulation	☐ Category I	☐ Category II	☑ Category III	no PPE-article			
(EU) 2016/425	Category	Category	category iii	norre-article	1		
MD-Regulation	☑ Class I	Class II a	Class III	sterile	☐ measuring	no medical	CE
(EU) 2017/745	- 5.0331	Ciuss II u		Jerne	function	device	
Food Contact	acidic foods	☑ aqueous	☐ fatty foods	alcoholic	✓ dry foods	not approved	
(EG) 1935/2004		foods	1233, 10000	foods	,	for food-	527
(20, 200, 200)		.0005				contact	
						contact	
STANDARDISATION	I						
EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	resistance		resistance	resistance		
		Coupe-Test			TDM-Test		
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide	40%	K	6	> 480 min	-62,5 %	ISO 374-1/Type B
	Hydrogen Peroxide	e 30%	Р	2	> 30 min	-31,9 %	
EN 374-4	Formaldehyde 379	6	T	4	> 120 min	-87,4 %	()(=)
Degradation							
							~
			1	1			KPT
EN 374-5	The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B.					EN ISO 374-5:2016	
microorganism							VIRUS
tightness							108 1079
EN 420 protective	The glove meets th	ne requirements acc	cording to EN 420				
gloves							
EN AEE	The glove meet- +1	20 roquiromanta	cording to EN 4FF 4	EN 4EE 2 EN 4EE 2	D ENLACE A		
EN 455	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4					EN	
medical gloves for single use						455	
EN 455-1	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1,					4.01	
freedom from holes	_	•	to the water retent	ion test (sampling)	mspection in acc. to	130 2033-1,	AQL
n ceuom nom noies	holes general Inspection Level I)					(1.5)	
							<u>.                                    </u>
ISO 18889	not applicable						
Deskistale e 11 11	l ''						
Pesticide application	''						
Pesticide application							



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de

Homepage: www.ampri.de e-mail: info@ampri.de

# **Technical Data Sheet**

Article-No.: **01038**Description: **ECO-PLUS** 

Latex examination glove white, non sterile, powder free

LOGISTIC DATA			
material	νιι -	carton	
pieces per subpack	ing	100	
GTIN subpacking si		4044941000619	
GTIN subpacking si	ze S	4044941000626	
GTIN subpacking si	ze M	4044941000633	
GTIN subpacking si	ze L	4044941000640	
GTIN subpacking si	ze XL	4044941000657	
GTIN subpacking si	ze XXL	4044941000664	
GTIN subpacking si	ze XXXL	-	
PZN subpacking siz	e XS	15248439	
PZN subpacking siz	e S	15248415	
PZN subpacking siz	e M	15248409	
PZN subpacking siz	e L	15249390	
PZN subpacking siz	e XL	15248421	
PZN subpacking siz	e XXL	15248444	
PZN subpacking siz	e XXXL	-	
measures & size		·	
length		240 mm	
width		120 mm	
heigth		75 mm	
weights			
size	net weight	gross weight	
XS	500 g	560 g	
S	520 g	580 g	
M	580 g	640 g	
L	630 g	690 g	
XL	680 g	740 g	
XXL 750 g		810 g	
XXXL	-	-	

LOGISTIC DATA F	PALETTE		
general information	1		
kind of palett		euro-palette	
measures & size			
cartons per layer		9	
layers per palette		7	
heigth of the palette		191 cm	
weights			
size	net weight	gross weight	
XS	384 g	409 g	
S	397 g	422 g	
M	435 g	460 g	
L	466 g	491 g	
XL	498 g	523 g	
XXL	542 g	567 g	
XXXI	-	-	



<b>LOGISTIC DATA</b>	OUTER PACKING		
generell information	on		
material		carton	
subpackings per ou	ıter packing	10	
GTIN outer packing	size XS	4044941003955	
GTIN outer packing	size S	4044941003962	
GTIN outer packing	size M	4044941003979	
GTIN outer packing	size L	4044941003986	
GTIN outer packing	4044941003993		
GTIN outer packing	4044941004006		
GTIN outer packing	size XXXL	-	
PZN outer packing	size XS	-	
PZN outer packing	size S	-	
PZN outer packing	size M	-	
PZN outer packing	size L	-	
PZN outer packing	size XL	-	
PZN outer packing	size XXL	-	
PZN outer packing	size XXXL	-	
measures & size			
length		390 mm	
width		248 mm	
heigth		252 mm	
weights			
size	net weight	gross weight	
XS	5.600 g	6.100 g	
S	5.800 g	6.300 g	
M	6.400 g	6.900 g	
L	6.900 g	7.400 g	
XL	7.400 g	7.900 g	
XXL 8.100 g		8.600 g	
XXXL	-	-	



## AMPri Handelsgesellschaft mbH

Benzstraße 16

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

## **Technical Data Sheet**

Article-No.: **01038**Description: **ECO-PLUS** 

Latex examination glove white, non sterile, powder free



### WARNINGS AND SAFETY INFORMATION

storage /	expiry
date	

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

#### use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

## disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

## disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

#### warnings/ allergy information

Protective gloves are intended for single use only.

This product contains dithiocarbamates and natural latex, which can trigger allergic reactions, including anaphylactic reactions

# donning and doffing instructions











rev-no.: 6

date 09.09.2024 changes and errors excepted