

AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical	Data Sl	heet					*
Article-No.:	01177						
Description:		Clean Ocean xamination glov	e			Style = Clean Ocean NITRI	
	green, no	on sterile, powo	ler free			A CONTRACT OF A	0
THICKNESS							
cuff 0,06 mm	palm 0,08 mm	fingertips 0,10 mm					
	·	0,10 11111					
PRODUCT DESCRIP							□
material	□ Latex	☑ Nitrile	Vinyl	Vinyl-Nitrile- mixture	Polyethy-lene (PE)	TPE	
colour	white	🗌 blue	black	□ mint	purple	🗌 mix	☑ ocean-green
characteristics	prepowde	ered 🗹 powderfree	e 🗌 sterile	non sterile	 ambidex- trous 	fits hand- specific	 accelerator- free
surface	full textur	red	not textured	embossed	✓ chlorinated ins	side	
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm			110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	n ≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
REGULATORY AFF	AIRS						
PPE-Regulation	Category	I Category II	Category III	no PPE-article			
(EU) 2016/425	Class I	Class II a	Class III	sterile		no medical	CE
MD-Regulation (EU) 2017/745	Class I	🗆 Class II a	Class III	└── sterile	measuring function	no medical device	
Food Contact	☑ acidic foo	ods 🗹 aqueous	☑ fatty foods	☑ alcoholic	dry foods	not approved	
(EG) 1935/2004		foods		foods		for food- contact	Ser
STANDARDISATIO	N						
EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	e resistance Coupe-Test		resistance	resistance TDM-Test		
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydro		К	6	> 480 min	15,1 %	ISO 374-1/Type B
	Hydrogen Per Formaldehyde		P T	2 5	> 30 min > 240 min	-74,1 % 24,0 %	
EN 374-4 Degradation	Tormaldenya	2 3776		5	× 240 mm	24,0 /0	
							КРТ
EN 374-5	The glove is ti	ght against microorg	anisms (viral, bacteria	and fungi). Test acco	ording to ISO 16604 -	- method B.	EN 150 374-5:2016
microorganism tightness			(,				VIRUS
EN ISO 21420 protective gloves	The glove mee	ets the requirements	according to EN ISO 2	1420			
EN 455	The glove mor	ets the requirements	according to EN 455-1	EN 455-2 EN 455	3 EN 455-4		
medical gloves for	The glove met			., LIN 433-2, LIN 433-3	J, LIN 4JJ-4		EN
single use							455
EN 455-1 freedom from holes	The glove has general Inspec		ds to the water retent	ion test (sampling	inspection in acc. to	ISO 2859-1,	AQL (1.5)
							\bigcirc
ISO 18889 Pesticide application	not applicable	2					



AMPri Handelsgesellschaft mbH Benzstraße 16

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01177

Description:

STYLE Clean Ocean Nitrile examination glove green, non sterile, powder free

LOGISTIC DATA	SUBPACKING		
generell information	on		
material	carton		
pieces per subpack	ing	100	
GTIN subpacking si	ze XS	4044941726564	
GTIN subpacking si	ze S	4044941726588	
GTIN subpacking si	ze M	4044941726601	
GTIN subpacking size L		4044941726625	
GTIN subpacking si	4044941726649		
GTIN subpacking si	ze XXL	-	
GTIN subpacking size XXXL		-	
PZN subpacking size XS		18062177	
PZN subpacking size S		18062160	
PZN subpacking siz	e M	18062154	
PZN subpacking siz	e L	18062148	
PZN subpacking size XL		18062131	
PZN subpacking size XXL		-	
PZN subpacking size XXXL		-	
measures & size			
length		215 mm	
width		120 mm	
heigth	60 mm		
weights			
size	net weight	gross weight	
XS	340 g	400 g	
S	350 g	410 g	
M	370 g	430 g	
L 400 g		460 g	
XL	440 g	500 g	
XXL	-	-	
XXXL	-	-	

LOGISTIC DATA PALETTE				
general informatio	n			
kind of palett	euro-palette			
measures & size				
cartons per layer	10			
layers per palette		8		
heigth of the palet	te	199 cm		
weights				
size	net weight	gross weight		
XS	360 g	385 g		
S	368 g	393 g		
М	384 g	409 g		
L	408 g	433 g		
XL	440 g	465 g		
XXL	-	-		
XXXL	-	-		



LOGISTIC DATA O			
generell information	n		
material	carton		
subpackings per out	10		
GTIN outer packing	4044941726571		
GTIN outer packing	4044941726595		
GTIN outer packing	4044941726618		
GTIN outer packing	4044941726632		
GTIN outer packing	4044941726656		
GTIN outer packing	-		
GTIN outer packing	-		
PZN outer packing si	-		
PZN outer packing si	-		
PZN outer packing si	-		
PZN outer packing si	-		
PZN outer packing si	-		
PZN outer packing si	-		
PZN outer packing si	-		
measures & size			
length	315 mm		
width	255 mm		
heigth	230 mm		
weights			
size	net weight	gross weight	
XS	4.000 g	4.500 g	
S	4.100 g	4.600 g	
М	4.300 g	4.800 g	
L	4.600 g	5.100 g	
XL	5.000 g	5.500 g	
XXL	-	-	
XXXL	-	-	



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet Article-No.: 01177 **STYLE Clean Ocean Description:** Nitrile examination glove green, non sterile, powder free WARNINGS AND SAFETY INFORMATION storage / expiry Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone date sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging. Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that use and control the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage. disposal Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste. disinfection Disinfection is not intended for these gloves and is the responsibility of the user. warnings/ Protective gloves are intended for single use only. This product contains dithiocarbamates, which may cause allergic reactions allergy information donning and doffing instructions

changes and errors excepted