

21423 Winsen (Luhe) - Germany


Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

# **Technical Data Sheet**

Article-No.: **120-020** 

Description: pura comfort white

Nitrile examination glove white, non sterile, powder free





PRODUCT DESCRIP	TION						
material	Latex	✓ Nitrile	□ Vinyl	☐ Vinyl-Nitrile-	Polyethy-lene	☐ TPE	☐ cotton
				mixture	(PE)		
colour	✓ white	☐ blue	black	☐ mint	☐ purple	☐ mix	☐ apple-green
characteristics	□ prepowdered	powderfree	☐ sterile	non sterile	☑ ambidex-	☐ fits hand-	☐ biodgra-
					trous	specific	dable
surface	☐ full textured		☐ not textured	embossed	chlorinated ins	side	
		textured					
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
REGULATORY AFFA	IRS						
PPE-Regulation	☐ Category I	☐ Category II	☑ Category III	no PPE-article			
(EU) 2016/425	Category	category ii	Cutegory	no i re-article			
MD-Regulation	☑ Class I	Class II a	Class III	□ sterile	☐ measuring	no medical	C€
(EU) 2017/745	- 0.0331	Ciu33 ii u		Sterne	function	device	
Food Contact	☑ acidic foods	☑ aqueous	✓ fatty foods	☑ alcoholic	☑ dry foods	not approved	
(EG) 1935/2004		foods	1237,10000	foods		for food-	77
(20, 200, 200)		10000				contact	JCI
						contact	
STANDARDISATION	N .						
EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	resistance		resistance	resistance		
		Coupe-Test			TDM-Test		
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide	40%	K	6	> 480 min	-42,9 %	ISO 374-1/Type B
	Hydrogen Peroxide	e 30%	P	2	> 30 min	22,8 %	
EN 374-4	Formaldehyde 379	6	Т	3	> 60 min	5,0 %	()(=)
Degradation							
							~
							KPT
EN 374-5	The glove is tight a	gainst microorganis	sms (viral, bacteria a	and fungi). Test acco	ording to ISO 16604	- method B.	EN ISO 374-5:2016
microorganism							VIRUS
tightness							108 107020
EN ISO 21420	The glove meets th	ne requirements acc	cording to EN ISO 21	1420			
protective gloves							
ENI AEE	The glave		oording to EN AEE 4	ENLACE 2 ENLACE 2	D ENLACE A		<u> </u>
EN 455	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4						EN
medical gloves for							455
single use	TI						-
EN 455-1 freedom from holes	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)						AQL
rredom from notes							(1.5)
	-						
ISO 18889	not applicable						
							ı
Pesticide application							l I
Pesticide application							



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0


Homepage: www.ampri.de e-mail: info@ampri.de

# **Technical Data Sheet**

Article-No.: **120-020** 

Description: pura comfort white


Nitrile examination glove white, non sterile, powder free



LOGISTIC DATA PALETTE						
general information	า					
kind of palett		euro-palette				
measures & size						
cartons per layer		14				
layers per palette		9				
heigth of the palette	e	204 cm				
weights						
size	net weight	gross weight				
XS	441 g	466 g				
S	479 g	504 g				
M	517 g	542 g				
L	554 g	579 g				
XL	592 g	617 g				
XXL	-	-				
XXXI	-	-				



LOGISTIC DATA	OUTER PACKING	
generell information	on	
material		carton
subpackings per ou	10	
GTIN outer packing	size XS	4044941009797
GTIN outer packing	4044941009803	
GTIN outer packing	4044941009810	
GTIN outer packing	4044941009827	
GTIN outer packing	4044941009834	
GTIN outer packing	-	
GTIN outer packing	-	
PZN outer packing:	size XS	-
PZN outer packing:	-	
PZN outer packing:	-	
PZN outer packing:	-	
PZN outer packing:	=	
PZN outer packing:	-	
PZN outer packing:	size XXXL	-
measures & size		
length	315 mm	
width	255 mm	
heigth	230 mm	
weights		
size	net weight	gross weight
XS	3.000 g	3.500 g
S	3.300 g	3.800 g
M	3.600 g	4.100 g
L	3.900 g	4.400 g
XL	4.200 g	4.700 g
XXL	-	-
XXXL	-	-





21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

# **Technical Data Sheet**

Article-No.: 120-020

Description: pura comfort white

Nitrile examination glove white, non sterile, powder free



## WARNINGS AND SAFETY INFORMATION

storage /	expiry
date	

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

#### use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

### disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

## disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

## warnings/ allergy information

Protective gloves are intended for single use only.

This product contains dithiocarbamates, which may cause allergic reactions

# donning and doffing instructions











rev-no.:

date 03. 09.2024

changes and errors excepted