

AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical	Data She	et					2
Article-No.:	01182						Tot
Description:		nination glove				NITRIL	
	magenta, n	on sterile, pov	vder free			And	1
THICKNESS							
cuff		ngertips					
0,06 mm	0,08 mm 0	),10 mm					
PRODUCT DESCRIP	TION						
material	Latex	☑ Nitrile	U Vinyl	└ Vinyl-Nitrile- mixture	Polyethy-lene (PE)		□ cotton
colour characteristics	white prepowdered	□ blue I ☑ powderfree	black sterile	☐ mint ✓ non sterile	<ul><li>☐ purple</li><li>☑ ambidex-</li></ul>	mix fits hand-	<ul> <li>✓ magenta</li> <li>☐ biodgra-</li> </ul>
surface	full textured	⊡ finger	not textured	embossed	trous chlorinated in:	specific side	dable
		textured					
SIZES							
• •••	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width length	≤ 80 mm ≥ 240 mm	80 ± 10 mm ≥ 240 mm	95 ± 10 mm ≥ 240 mm	110 ± 10 mm ≥ 240 mm	115 ± 10 mm ≥ 240 mm	-	
		240 1111	£ 240 mm	240 11111	240 11111		
REGULATORY AFFA PPE-Regulation (EU) 2016/425	Category I	Category II	Category III	no PPE-article			~
MD-Regulation (EU) 2017/745	Class I	Class II a	Class III	□ sterile	measuring function	no medical device	CE
Food Contact (EG) 1935/2004	acidic foods	☑ aqueous foods	✓ fatty foods	<ul> <li>☑ alcoholic foods</li> </ul>	dry foods	not approved for food- contact	<b>R</b> 1
STANDARDISATIO	N						
EN 388 Mechanical Risks	abrasion resistance	blade cut resistance Coupe-Test	tear resistance	puncture resistance	blade cut resistance TDM-Test	impact test	
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide		К	6	> 480 min	15,1 %	ISO 374-1/Type B
	Hydrogen Peroxid Formaldehyde 37		P T	2 5	> 30 min > 240 min	-74,1 % 24,0 %	
EN 374-4 Degradation		,,,				21,070	
							КРТ
EN 374-5 microorganism tightness	The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B.					EN 150 374-5:2016 VIRUS	
EN ISO 21420 protective gloves	The glove meets t	he requirements ac	cording to EN ISO 21	420			
EN 455 medical gloves for single use	The glove meets t	he requirements ac	ccording to EN 455-1	, EN 455-2, EN 455-3	3, EN 455-4		EN 455
EN 455-1 freedom from holes	The glove has an a general Inspection	•	s to the water retent	ion test ( sampling	inspection in acc. to	ISO 2859-1,	AQL (1.5)
ISO 18889 Pesticide application	not applicable						

## **AM**Pri

AMPri Handelsgesellschaft mbH Benzstraße 16

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

## **Technical Data Sheet**

## Article-No.: 01182

Description:

STYLE Grenadine Nitrile examination glove magenta, non sterile, powder free

LOGISTIC DATA	SUBPACKING		
generell informati	on		
material		carton	
pieces per subpack	ting	100	
GTIN subpacking si	ze XS	4044941012407	
GTIN subpacking si	ze S	4044941012414	
GTIN subpacking si	ze M	4044941012421	
GTIN subpacking si	ze L	4044941012438	
GTIN subpacking si	ze XL	4044941012445	
GTIN subpacking si	ze XXL	-	
GTIN subpacking si	ze XXXL	-	
PZN subpacking siz	e XS	14819689	
PZN subpacking siz	e S	14819666	
PZN subpacking siz	e M	14819637	
PZN subpacking siz	e L	14819620	
PZN subpacking siz	e XL	14819672	
PZN subpacking siz	e XXL	-	
PZN subpacking siz	e XXXL	-	
measures & size			
length		215 mm	
width		120 mm	
heigth		60 mm	
weights			
size	net weight	gross weight	
XS	300 g	360 g	
S	360 g	420 g	
M	380 g	440 g	
L	410 g	470 g	
XL	450 g	510 g	
XXL	-	-	
XXXL	-	-	

LOGISTIC DATA	PALETTE	
general informatio	n	
kind of palett		euro-palette
measures & size		
cartons per layer		10
layers per palette		8
heigth of the palet	te	199 cm
weights		
size	net weight	gross weight
XS	328 g	353 g
S	376 g	401 g
М	392 g	417 g
L	416 g	441 g
XL	448 g	473 g
XXL	-	-
XXXL	-	-



LOGISTIC DATA ( generell informatio	-		
material	carton		
subpackings per out	10		
GTIN outer packing	4044941012452		
GTIN outer packing	4044941012452		
GTIN outer packing	4044941012469		
GTIN outer packing	4044941012470		
GTIN outer packing	4044941012483		
GTIN outer packing	4044941012490		
GTIN outer packing			
PZN outer packing s			
PZN outer packing s			
PZN outer packing s	-		
PZN outer packing s		_	
PZN outer packing s			
PZN outer packing s			
PZN outer packing s	_		
measures & size			
length	315 mm		
width	255 mm		
heigth		230 mm	
weights			
size	net weight	gross weight	
XS	3.600 g	4.100 g	
S	4.200 g	4.700 g	
М	4.400 g	4.900 g	
L	4.700 g	5.200 g	
XL	5.100 g	5.600 g	
XXL	-	-	
XXXL	-	-	



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

## **Technical Data Sheet** Article-No.: 01182 **STYLE Grenadine Description:** Nitrile examination glove magenta, non sterile, powder free WARNINGS AND SAFETY INFORMATION storage / expiry Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone date sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging. Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that use and control the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage. disposal Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste. disinfection Disinfection is not intended for these gloves and is the responsibility of the user.

 

 warnings/ allergy information
 Protective gloves are intended for single use only. This product contains dithiocarbamates, which may cause allergic reactions

 donning and doffing instructions
 Image: Control of Contr