

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de


Technical Data Sheet

Article-No.: 118-038

4MPri

pura comfort black Description:

Nitrile examination glove black, non sterile, powder free





PRODUCT DESCRIP	TION						
material	Latex	✓ Nitrile	□ Vinyl	☐ Vinyl-Nitrile-	Polyethy-lene	☐ TPE	□ cotton
				mixture	(PE)		
colour	☐ white	blue		☐ mint	☐ purple	☐ mix	☐ apple-green
characteristics	□ prepowdered	powderfree	☐ sterile	non sterile	☑ ambidex-	☐ fits hand-	☐ biodgra-
					trous	specific	dable
surface	☐ full textured	finger	☐ not textured	embossed	chlorinated ins	side	
		textured					
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
REGULATORY AFFA	IRS						
PPE-Regulation	☐ Category I	☐ Category II	☑ Category III	no PPE-article			
(EU) 2016/425	Category	Category	Category	norre-article			
MD-Regulation	☑ Class I	Class II a	Class III	✓ sterile		no medical	C€
(EU) 2017/745		5.033 11 0	5.055 111	3000	function	device	
Food Contact	☑ acidic foods	☑ aqueous	✓ fatty foods	☑ alcoholic	✓ dry foods	not approved	
(EG) 1935/2004		foods	,	foods		for food-	77
, , , , , , , , , , , , , , , , , , , ,						contact	JC1
STANDARDISATION	Į						
EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	resistance		resistance	resistance		
		Coupe-Test			TDM-Test		
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide		K	6	> 480 min	-5,8 %	ISO 374-1/Type B
	Hydrogen Peroxide		Р	3	> 60 min	17,2 %	
EN 374-4	Formaldehyde 379	%	Т	6	> 480 min	26,1 %	()(-)
Degradation							
							V
EN 274 E	The element is the letter	!					KPT
EN 374-5	The glove is tight a	igainst microorganis	sms (virai, bacteria a	and fungi). Test acco	ording to ISO 16604	- metnoa B.	EN ISO 374-5:2016
microorganism tightness							VIRUS
EN 420 protective	The glove meets th	ne requirements aco	cording to EN 420				
gloves							
EN 455	The glove meets the	ne requirements acc	cording to EN 455 1	, EN 455-2, EN 455-3	R FN 455-4		
medical gloves for	The glove meets ti	ic requirements du	Lorumg to LIV 433-1	, LIN 433-2, LIN 433-3	, LIN 433-4		EN
single use							455
EN 455-1	The glove has an A	OI < 15 in regards	to the water retent	ion test (sampling i	inspection in acc. to	ISO 2859-1	ACI
freedom from holes	general Inspection	•	to the water reterit	ion test (sampling i	moperation in acc. to	130 2000 1,	AQL (1.5)
	Beneral hispection	. ======					(1.5)
ICO 10000	not onnlicable						· · · · · · · · · · · · · · · · · · ·
ISO 18889	not applicable						
Docticido application							
Pesticide application							
Pesticide application							



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de

omepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: **118-038**

Description: pura comfort black


Nitrile examination glove black, non sterile, powder free

LOGISTIC DATA	SUBPACKING		
generell information	on		
material		carton	
pieces per subpack	ing	100	
GTIN subpacking si	ze XS	4044941018300	
GTIN subpacking si	ze S	4044941018317	
GTIN subpacking si	ze M	4044941018324	
GTIN subpacking si	ze L	4044941018331	
GTIN subpacking si	ze XL	4044941018348	
GTIN subpacking si	ze XXL	-	
GTIN subpacking si	ze XXXL	-	
PZN subpacking siz	e XS	15433006	
PZN subpacking siz	e S	15432975	
PZN subpacking siz	e M	15432969	
PZN subpacking siz	e L	15432952	
PZN subpacking size XL		15432981	
PZN subpacking size XXL		-	
PZN subpacking size XXXL		-	
measures & size			
length		200 mm	
width		110 mm	
heigth		50 mm	
weights			
size	net weight	gross weight	
XS	240 g	300 g	
S	270 g	330 g	
М	300 g	360 g	
L	330 g	390 g	
XL	360 g	420 g	
XXL	-	-	
XXXL	-	-	

LOGISTIC DATA	PALETTE	
general information	า	
kind of palett		euro-palette
measures & size		
cartons per layer		14
layers per palette		9
heigth of the palette	e	204 cm
weights		
size	net weight	gross weight
XS	441 g	466 g
S	479 g	504 g
M	517 g	542 g
L	554 g	579 g
XL	592 g	617 g
XXL	-	-
XXXI	-	-



LOGISTIC DATA C			
generell information	1		
material		carton	
subpackings per out	10		
GTIN outer packing s	4044941018362		
GTIN outer packing s	4044941018379		
GTIN outer packing s	4044941018386		
GTIN outer packing s	4044941018393		
GTIN outer packing s	4044941018409		
GTIN outer packing s	-		
GTIN outer packing s	-		
PZN outer packing si	ze XS	-	
PZN outer packing si	ze S	-	
PZN outer packing si	ze M	-	
PZN outer packing si	ze L	-	
PZN outer packing si	-		
PZN outer packing size XXL		-	
PZN outer packing size XXXL		-	
measures & size			
length		260 mm	
width	230 mm		
heigth		210 mm	
weights			
size	net weight	gross weight	
XS	3.000 g	3.500 g	
S	3.300 g	3.800 g	
M	3.600 g	4.100 g	
L	3.900 g	4.400 g	
XL	4.200 g	4.700 g	
XXL	-	-	
XXXL	-	-	





21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 118-038

Description: pura comfort black

Nitrile examination glove black, non sterile, powder free



WARNINGS AND SAFETY INFORMATION

storage / expiry date

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

warnings/ allergy information Protective gloves are intended for single use only.

This product contains dithiocarbamates, which may cause allergic reactions

donning and doffing instructions











rev-no.: 6

date 03.09.2024 changes and errors excepted