

| Technical | Data She | et | | | | <pre>%</pre> | |
|--|---|---|-----------------------|---------------------------|-------------------------------------|--|-------------------|
| Article-No.: | 970-013 | | | | | | |
| Description: | pura com Nitrile exam | fort blue ination glove erile, pre-powe | dered | | | pure no sido blan | |
| Cuff 0,04 mm | | ngertips ,06 mm | | | | | |
| PRODUCT DESCRIP | | | | | | | |
| material | Latex | ☑ Nitrile | Uinyl | Vinyl-Nitrile- mixture | Polyethy-lene (PE) | П ТРЕ | C cotton |
| colour | white | 🗹 blue | black | mint | purple | 🗆 mix | apple-green |
| characteristics | prepowdered | ☑ powderfree | sterile sterile | non sterile | ☑ ambidex- trous | fits hand- specific | biodgra- dable |
| surface | □ full textured | ✓ finger textured | not textured | embossed | chlorinated in: | side | |
| SIZES | | | | | | | |
| | XS (5-6) | S (6-7) | M (7-8) | L (8-9) | XL (9-10) | XXL (10-11) | XXXL (11-12) |
| width | ≤ 80 mm | 80 ± 10 mm | 95 ± 10 mm | 110 ± 10 mm | 115 ± 10 mm | - | - |
| length | ≥ 240 mm | ≥ 240 mm | ≥ 240 mm | ≥ 240 mm | ≥ 240 mm | - | - |
| REGULATORY AFFA | | 1 | - | í — | 1 | 1 | |
| PPE-Regulation (EU) 2016/425 | Category I | Category II | Category III | no PPE-article | | | " |
| MD-Regulation (EU) 2017/745 | Class I | Class II a | Class III | □ sterile | measuring function | no medical device | CE |
| Food Contact (EG) 1935/2004 | ☑ acidic foods | ☑ aqueous food | ✓ fatty foods | ☑ alcoholic foods | ✓ dry foods | not approved for food- contact | R i |
| STANDARDISATION | | | ł | 4 | 4 | ł | ł |
| EN 388 Mechanical Risks | abrasion resistance | blade cut resistance Coupe-Test | tear resistance | puncture resistance | blade cut resistance TDM-Test | impact test | |
| Level | not applicable | couperrest | | | TDIVI-TCSt | | |
| EN 374-1 | chemical | | code letter | level | permeation time | degradation | |
| Chemical Risks | Sodium hydroxide | 40% | K | 6 | > 480 min | -5,8 % | ISO 374-1/Type B |
| | Hydrogen Peroxide | e 30% | Р | 3 | > 60 min | 17,2 % | |
| EN 374-4 Degradation | Formaldehyde 37% | 6 | Т | 6 | > 480 min | 26,1 % | |
| EN 374-5 microorganism tightness | The glove is tight a | gainst microorganis | ms (viral, bacteria a | and fungi). Test acco | ording to ISO 16604 | - method B. | KPT |
| EN 420 protective gloves | The glove meets th | ne requirements acc | ording to EN 420 | | | | |
| EN 455 medical gloves for single use | The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4 | | | | EN 455 | | |
| EN 455-1 freedom from holes | The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I) | | | AQL (1.5) | | | |
| ISO 18889 Pesticide application | not applicable | | | | | | |



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 970-013

Description:

pura comfort blue Nitrile examination glove blue, non sterile, pre-powdered

| LOGISTIC DATA | SUBPACKING | |
|--------------------------|------------|----------------|
| generell information | on | |
| material | carton | |
| pieces per subpack | ing | 100 |
| GTIN subpacking si | ze XS | 4044941007946 |
| GTIN subpacking si | ze S | 4044941007953 |
| GTIN subpacking si | ze M | 40449410097960 |
| GTIN subpacking si | ze L | 4044941007977 |
| GTIN subpacking si | ze XL | 4044971007984 |
| GTIN subpacking si | ze XXL | - |
| GTIN subpacking si | ze XXXL | - |
| PZN subpacking siz | e XS | 16838969 |
| PZN subpacking siz | e S | 13511400 |
| PZN subpacking siz | e M | 13511386 |
| PZN subpacking siz | e L | 13511392 |
| PZN subpacking size XL | | 13511417 |
| PZN subpacking size XXL | | - |
| PZN subpacking size XXXL | | - |
| measures & size | | |
| length | | 200 mm |
| width | | 110 mm |
| heigth | 50 mm | |
| weights | | |
| size | net weight | gross weight |
| XS | 240 g | 300 g |
| S | 270 g | 330 g |
| M | 300 g | 360 g |
| L | 330 g | 390 g |
| XL | 360 g | 420 g |
| XXL | - | - |
| XXXL | - | - |

| LOGISTIC DATA | PALETTE | |
|-----------------------|------------|--------------|
| general informatio | n | |
| kind of palett | | euro-palette |
| measures & size | | |
| cartons per layer | | 14 |
| layers per palette | | 9 |
| heigth of the palette | | 204 cm |
| weights | | |
| size | net weight | gross weight |
| XS | 441 g | 466 g |
| S | 479 g | 504 g |
| М | 517 g | 542 g |
| L | 554 g | 579 g |
| XL | 592 g | 617 g |
| XXL | - | - |
| XXXL | - | - |



| LOGISTIC DATA C | OUTER PACKING | |
|----------------------|---------------|--------------|
| generell information | n | |
| material | carton | |
| subpackings per out | 10 | |
| GTIN outer packing | 4044941007991 | |
| GTIN outer packing | 4044941008004 | |
| GTIN outer packing | 4044941008011 | |
| GTIN outer packing | 4044941008028 | |
| GTIN outer packing | 4044941008035 | |
| GTIN outer packing | - | |
| GTIN outer packing | size XXXL | - |
| PZN outer packing si | - | |
| PZN outer packing si | | |
| PZN outer packing si | ze M | |
| PZN outer packing si | - | |
| PZN outer packing si | - | |
| PZN outer packing si | | |
| PZN outer packing si | | |
| measures & size | | |
| length | 260 mm | |
| width | 230 mm | |
| heigth | 210 mm | |
| weights | | |
| size | net weight | gross weight |
| XS | 3.000 g | 3.500 g |
| S | 3.300 g | 3.800 g |
| М | 3.600 g | 4.100 g |
| L | 3.900 g | 4.400 g |
| XL | 4.200 g | 4.700 g |
| XXL | - | - |
| XXXL | - | - |



e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 970-013

Description:

pura comfort blue Nitrile examination glove blue, non sterile, pre-powdered



WARNINGS AND SAFETY INFORMATION storage / expiry Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone date sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging. Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that use and control the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage. disposal Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste. disinfection Disinfection is not intended for these gloves and is the responsibility of the user. warnings/ Protective gloves are intended for single use only. This product contains dithiocarbamates, which may cause allergic reactions allergy information donning and

