



Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de


# **Technical Data Sheet**

**4M**Pri

Article-No.: 01181

Description: STYLE Black

Nitrile examination glove black, non sterile, powder free





PRODUCT DESCRIP	TION						
material	Latex	✓ Nitrile	□ Vinyl	☐ Vinyl-Nitrile- mixture	Polyethy-lene (PE)	☐ TPE	cotton
colour	☐ white	☐ blue	✓ black	☐ mint	☐ purple	☐ mix	□ red
characteristics	prepowdered	powderfree	☐ sterile	non sterile	✓ ambidex-	☐ fits hand-	☐ biodgra-
					trous	specific	dable
surface	☐ full textured	finger textured	not textured	embossed	chlorinated ins	side	
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	125 ± 10 mm	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-
REGULATORY AFFA	IRS						
PPE-Regulation (EU) 2016/425	☐ Category I	☐ Category II	☑ Category III	☐ no PPE-article			
MD-Regulation	☑ Class I	Class II a	☐ Class III	□ sterile	☐ measuring	no medical	CE
(EU) 2017/745					function	device	
Food Contact	acidic foods	☑ aqueous	✓ fatty foods	☑ alcoholic	☑ dry foods	☐ not approved	
(EG) 1935/2004		foods		foods		for food-	527
						contact	<i>J</i> C.
STANDARDISATION							
EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	resistance	tear resistance	resistance	resistance	illipact test	
NISKS	resistance	Coupe-Test		resistance	TDM-Test		
Level	not applicable	coupe-rest			TDIVI-TEST		
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide	40%	K	6	> 480 min	15,1 %	ISO 374-1/Type B
	Hydrogen Peroxide	30%	Р	2	> 30 min	-74,1 %	==
EN 374-4	Formaldehyde 37%	ó	T	5	> 240 min	24,0 %	
Degradation							
							KPT
EN 374-5	The glove is tight a	gainst microorganis	l sms (viral, bacteria a	I and fungi). Test acco	I ording to ISO 16604 -	- method B	EN ISO 374-5:2016
microorganism tightness	The Brove is tight of	Basc	(*) 20000				VIRUS
EN ISO 21420 protective gloves	The glove meets th	e requirements acc	cording to EN ISO 21	420			
EN 455 medical gloves for single use	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4				EN 455		
EN 455-1 freedom from holes	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)					AQL (1.5)	
ISO 18889 Pesticide application	not applicable						



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

# **Technical Data Sheet**

Article-No.: 01181

Description: STYLE Black

Nitrile examination glove black, non sterile, powder free

LOGISTIC DATA	SUBPACKING	
generell information	on	
material	carton	
pieces per subpack	100	
GTIN subpacking si	ze XS	4044941009063
GTIN subpacking si	4044941009070	
GTIN subpacking si	4044941009087	
GTIN subpacking si	ze L	4044941009094
GTIN subpacking si	4044941009100	
GTIN subpacking si	4044941009346	
GTIN subpacking si	-	
PZN subpacking siz	14819494	
PZN subpacking siz	14819471	
PZN subpacking siz	14819465	
PZN subpacking siz	14919459	
PZN subpacking siz	14819488	
PZN subpacking siz	14819502	
PZN subpacking siz	-	
measures & size		
length	215 mm	
width	120 mm	
heigth	60 mm	
weights		
size	net weight	gross weight
XS	340 g	400 g
S	360 g	420 g
M	380 g	440 g
L	410 g	470 g
XL	450 g	510 g
XXL	460 g	520 g
XXXL	-	-

LOGISTIC DATA PALETTE				
general information	on			
kind of palett		euro-palette		
measures & size				
cartons per layer		10		
layers per palette		8		
heigth of the palette		199 cm		
weights				
size	net weight	gross weight		
XS	360 g	385 g		
S	376 g	401 g		
М	392 g	417 g		
L	416 g	441 g		
XL	448 g	473 g		
XXL	456 g	481 g		
XXXL	-	-		



LOGISTIC DATA C	OUTER PACKING		
generell information			
material	carton		
subpackings per out	10		
GTIN outer packing:	4044941009117		
GTIN outer packing:	4044941009124		
GTIN outer packing:	4044941009131		
GTIN outer packing:	4044941009148		
GTIN outer packing:	4044941009155		
GTIN outer packing	4044941009353		
GTIN outer packing:	-		
PZN outer packing si	-		
PZN outer packing si	ize S	-	
PZN outer packing si	-		
PZN outer packing si	-		
PZN outer packing si	-		
PZN outer packing s	-		
PZN outer packing s	-		
measures & size			
length	315 mm		
width	255 mm		
heigth	230 mm		
weights			
size	net weight	gross weight	
XS	4.000 g	4.500 g	
S	4.200 g	4.700 g	
M	4.400 g	4.900 g	
L	4.700 g	5.200 g	
XL	5.100 g	5.600 g	
XXL	5.200 g	5.700 g	
XXXL	-	-	



## AMPri Handelsgesellschaft mbH

Benzstraße 16

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

### **Technical Data Sheet**

Article-No.: 01181

Description: STYLE Black

Nitrile examination glove black, non sterile, powder free



#### WARNINGS AND SAFETY INFORMATION

storage / expiry date

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

#### use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

warnings/ allergy information Protective gloves are intended for single use only.

This product contains dithiocarbamates, which may cause allergic reactions

donning and doffing instructions











rev-no.:

date 10.09.2024

changes and errors excepted