

AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical	Data She	et				2	
Article-No.: Description:		JS nation glove sterile, powde	r free			BASIC-PLUS	
THICKNESS cuff 0,08 mm	palm fir	ngertips 11 mm					
PRODUCT DESCRIP	TION						
material	└ Latex	Nitrile	Vinyl	Vinyl-Nitrile- mixture	Polyethy-lene (PE)	L TPE	
colour characteristics	white prepowdered	<ul><li>□ blue</li><li>☑ powderfree</li></ul>	<ul><li>black</li><li>sterile</li></ul>	<ul> <li>☐ mint</li> <li>☑ non sterile</li> </ul>	<ul><li>purple</li><li>ambidex-</li></ul>	<ul> <li>mix</li> <li>fits hand-</li> </ul>	<ul><li>apple-green</li><li>biodgra-</li></ul>
surface	✓ full textured	☐ finger textured	not textured	embossed	trous double chlorir	specific nated	dable
SIZES		·	ı	ı 	ı		ı 
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
REGULATORY AFFA	Category I	Category II	Category III	no PPE-article			
(EU) 2016/425 MD-Regulation	Class I	Class II a	Class III	□ sterile	measuring	no medical	CE
(EU) 2017/745 Food Contact (EG) 1935/2004	<ul> <li>✓ acidic foods</li> </ul>	✓ aqueous foods	☐ fatty foods	✓ alcoholic foods	function dry foods	device not approved for food- contact	זיל
STANDARDISATION	N						
EN 388 Mechanical Risks	abrasion resistance	blade cut resistance Coupe-Test	tear resistance	puncture resistance	blade cut resistance TDM-Test	impact test	
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	L
Chemical Risks	Sodium hydroxide		К	6	> 480 min	-62,5 %	ISO 374-1/Type B
	Hydrogen Peroxide		P	2	> 30 min	-31,9 %	
EN 374-4 Degradation	Formaldehyde 37%	6	T	4	> 120 min	-87,4 %	
EN 374-5 microorganism tightness	The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B.					KPT	
EN 420 protective gloves	The glove meets th	ne requirements acc	cording to EN 420				
EN 455 medical gloves for single use		·	-	, EN 455-2, EN 455-3			EN 455
EN 455-1 freedom from holes	The glove has an A general Inspection		to the water retent	ion test ( sampling	inspection in acc. to	ISO 2859-1,	AQL (1.5)
ASTM D5526 biodegradation	not applicable						



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

# **Technical Data Sheet**

## Article-No.: 01039

Description:

BASIC PLUS Latex examination glove

white, non sterile, powder free

LOGISTIC DATA	SUBPACKING		
generell information	on		
material		carton	
pieces per subpack	ing	100	
GTIN subpacking si	ze XS	4044941000275	
GTIN subpacking si	ze S	4044941000282	
GTIN subpacking size M		4044941000299	
GTIN subpacking si	ze L	4044941000305	
GTIN subpacking si	ze XL	4044941000312	
GTIN subpacking si	ze XXL	-	
GTIN subpacking si	ze XXXL	-	
PZN subpacking siz	e XS	15248533	
PZN subpacking size S		15248496	
PZN subpacking siz	e M	15248467	
PZN subpacking size L		15248450	
PZN subpacking siz	e XL	15248504	
PZN subpacking siz	e XXL	-	
PZN subpacking siz	e XXXL	-	
measures & size			
length		240 mm	
width		120 mm	
heigth		75 mm	
weights			
size	net weight	gross weight	
XS	450 g	510 g	
S	500 g	560 g	
М	550 g	610 g	
L	600 g	660 g	
XL	650 g	710 g	
XXL	-	-	
XXXL	-	-	

LOGISTIC DATA	PALETTE	
general informatio	n	
kind of palett		euro-palette
measures & size		
cartons per layer		9
layers per palette		7
heigth of the palette		187 cm
weights		
size	net weight	gross weight
XS	353 g	378 g
S	384 g	409 g
М	416 g	441 g
L	447 g	472 g
XL	479 g	504 g
XXL	-	-
XXXL	-	-



generell informatio	n		
material		carton	
subpackings per out	10		
GTIN outer packing	size XS	4044941001074	
GTIN outer packing	4044941001081		
GTIN outer packing	4044941001098		
GTIN outer packing	4044941001104		
GTIN outer packing	4044941001111		
GTIN outer packing	-		
GTIN outer packing	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing s	-		
measures & size			
length	383 mm		
width	243 mm		
heigth		245 mm	
weights			
size	net weight	gross weight	
XS	5.100 g	5.600 g	
S	5.600 g	6.100 g	
М	6.100 g	6.600 g	
L	6.600 g	7.100 g	
XL	7.100 g	7.600 g	
XXL	-	-	
XXXL	-	-	



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

## **Technical Data Sheet**

### Article-No.: 01039

Description:

BASIC PLUS Latex examination glove white, non sterile, powder free



#### WARNINGS AND SAFETY INFORMATION storage / expiry Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone date sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging. Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that use and control the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage. disposal Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste. disinfection Disinfection is not intended for these gloves and is the responsibility of the user. warnings/ Protective gloves are intended for single use only. This product contains dithiocarbamates and natural latex, which can trigger allergic reactions, including anaphylactic reactions allergy information

