

21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de



4MPri

Article-No.: 01160

Description: **Clean Expert Nitril**

Nitrile glove

green, non sterile, powder free

THICKNESS		
cuff	palm	fingertips
0,30 mm	0,40 mm	0,40 mm



DD ODLIGT DECORE	- 100						
PRODUCT DESCRIP			·				
material	Latex	✓ Nitrile	☐ Vinyl	☐ Vinyl-Nitrile-	Polyethy-lene	∟ TPE	□ cotton
				mixture	(PE)		
colour	white	blue	black	□ mint	☐ purple	□ mix	☑ green
characteristics	prepowdered	powderfree	sterile	✓ non sterile	☐ ambidex-	✓ fits hand-	
				_	trous	specific	flocked
surface		☐ finger	☐ not textured	embossed		side	
		textured					
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	-	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	-	≥ 300 mm	≥ 300 mm	≥ 300 mm	≥ 300 mm	-	-
DECLUATORY AFEA	IDC.						
REGULATORY AFFA							
PPE-Regulation	☐ Category I	□ Category II		☐ no PPE-article			
(EU) 2016/425							CE
MD-Regulation	☐ Class I	☐ Class II a	☐ Class III			☐ no medical	7
(EU) 2017/745					function	device	
Food Contact	☑ acidic foods	aqueous food		☑ alcoholic	☑ dry foods	☐ not approved	נים ו
(EG) 1935/2004				foods		for food-	77
						contact	
		Į.	Į.				
STANDARDISATION							1
EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	resistance		resistance	resistance		
		Coupe-Test			TDM-Test		
Level	4	1	0	1	Х	-	41U1X
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks				2	> 30 min	85,9 %	ISO 374-1/Type A
	Methanol		Α	_			
	Methanol n-Heptane		J	6	> 480 min	14,8 %	
EN 374-4		40%				14,8 % -1,0 %	□ ≋
EN 374-4	n-Heptane		J	6	> 480 min		「意
	n-Heptane Sodium hydroxide		J K	6 6	> 480 min > 480 min	-1,0 %	
EN 374-4	n-Heptane Sodium hydroxide Sulphuric Acid 96%		J K L	6 6 3	> 480 min > 480 min > 60 min	-1,0 % 82,0 %	
EN 374-4	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65%		J K L M	6 6 3 3	> 480 min > 480 min > 60 min > 60 min	-1,0 % 82,0 % 98,9 %	
EN 374-4	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydro	xide 25%	J K L M	6 6 3 3 4	> 480 min > 480 min > 60 min > 60 min > 120 min	-1,0 % 82,0 % 98,9 % 45,5 %	AJKLMTOP
EN 374-4	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydro: Nitric Acid 65% Formaldehyde 37%	xide 25%	J K L M O M	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	AJKLMTOP
EN 374-4 Degradation	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydro: Nitric Acid 65% Formaldehyde 37%	xide 25%	J K L M O M	6 6 3 3 4 3	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN ISO 374-5:2016
EN 374-4 Degradation EN 374-5 microorganism	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydro: Nitric Acid 65% Formaldehyde 37%	xide 25%	J K L M O M	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	10.00 C
EN 374-4 Degradation EN 374-5 microorganism tightness	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydro: Nitric Acid 65% Formaldehyde 37% The glove is tight a	xide 25% 6 gainst microorganis	J K L M O T ms (viral, bacteria a	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN ISO 374-5:2016
EN 374-4 Degradation EN 374-5 microorganism tightness EN 420 protective	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydro: Nitric Acid 65% Formaldehyde 37% The glove is tight a	xide 25%	J K L M O T ms (viral, bacteria a	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN ISO 374-5:2016
EN 374-4 Degradation EN 374-5 microorganism tightness	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydro: Nitric Acid 65% Formaldehyde 37% The glove is tight a	xide 25% 6 gainst microorganis	J K L M O T ms (viral, bacteria a	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN 150 374-5:2016
EN 374-4 Degradation EN 374-5 microorganism tightness EN 420 protective gloves	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydro: Nitric Acid 65% Formaldehyde 37% The glove is tight a	xide 25% 6 gainst microorganis	J K L M O T ms (viral, bacteria a	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN ISO 374-5:2016
EN 374-4 Degradation EN 374-5 microorganism tightness EN 420 protective gloves EN 455	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydro: Nitric Acid 65% Formaldehyde 37% The glove is tight a	xide 25% 6 gainst microorganis	J K L M O T ms (viral, bacteria a	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN ISO 374-5:2016
EN 374-4 Degradation EN 374-5 microorganism tightness EN 420 protective gloves EN 455 medical gloves for	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydro: Nitric Acid 65% Formaldehyde 37% The glove is tight a	xide 25% 6 gainst microorganis	J K L M O T ms (viral, bacteria a	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN 150 374-5:2016
EN 374-4 Degradation EN 374-5 microorganism tightness EN 420 protective gloves EN 455 medical gloves for single use	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydrox Nitric Acid 65% Formaldehyde 37% The glove is tight a The glove meets th	xide 25% 6 gainst microorganis	J K L M O T ms (viral, bacteria a	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN 150 374-5:2016
EN 374-4 Degradation EN 374-5 microorganism tightness EN 420 protective gloves EN 455 medical gloves for single use EN 455-1	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydro: Nitric Acid 65% Formaldehyde 37% The glove is tight a	xide 25% 6 gainst microorganis	J K L M O T ms (viral, bacteria a	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN ISO 374-5:2016
EN 374-4 Degradation EN 374-5 microorganism tightness EN 420 protective gloves EN 455 medical gloves for single use	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydrox Nitric Acid 65% Formaldehyde 37% The glove is tight a The glove meets th	xide 25% 6 gainst microorganis	J K L M O T ms (viral, bacteria a	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN ISO 374-5:2016
EN 374-4 Degradation EN 374-5 microorganism tightness EN 420 protective gloves EN 455 medical gloves for single use EN 455-1	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydrox Nitric Acid 65% Formaldehyde 37% The glove is tight a The glove meets th	xide 25% 6 gainst microorganis	J K L M O T ms (viral, bacteria a	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN 150 374-5:2016
EN 374-4 Degradation EN 374-5 microorganism tightness EN 420 protective gloves EN 455 medical gloves for single use EN 455-1 freedom from holes	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydrox Nitric Acid 65% Formaldehyde 37% The glove is tight a The glove meets th	xide 25% 6 gainst microorganis	J K L M O T ms (viral, bacteria a	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN ISO 374-5:2016
EN 374-4 Degradation EN 374-5 microorganism tightness EN 420 protective gloves EN 455 medical gloves for single use EN 455-1	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydrox Nitric Acid 65% Formaldehyde 37% The glove is tight a The glove meets th not applicable not applicable	xide 25% 6 gainst microorganis	J K L M O T ms (viral, bacteria a	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN ISO 374-5:2016
EN 374-4 Degradation EN 374-5 microorganism tightness EN 420 protective gloves EN 455 medical gloves for single use EN 455-1 freedom from holes EN 16350	n-Heptane Sodium hydroxide Sulphuric Acid 96% Nitric Acid 65% Ammonium Hydrox Nitric Acid 65% Formaldehyde 37% The glove is tight a The glove meets th not applicable not applicable	xide 25% 6 gainst microorganis	J K L M O T ms (viral, bacteria a	6 6 3 3 4 3 6	> 480 min > 480 min > 60 min > 60 min > 120 min > 60 min > 480 min	-1,0 % 82,0 % 98,9 % 45,5 % 98,9 % 11,1 %	EN ISO 374-5:2016



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01160

Description: Clean Expert Nitril

Nitrile glove

green, non sterile, powder free

LOGISTIC DATA	SUBPACKING	
generell information	on	
material		bag
pieces per subpacking		2
GTIN subpacking size XS		-
GTIN subpacking size S		4044941003665
GTIN subpacking size M		4044941003672
GTIN subpacking size	ze L	4044941003689
GTIN subpacking size XL		4044941003696
GTIN subpacking size XXL		-
GTIN subpacking size	ze XXXL	-
PZN subpacking size XS		-
PZN subpacking size S		-
PZN subpacking size M		-
PZN subpacking size L		-
PZN subpacking size XL		-
PZN subpacking size XXL		-
PZN subpacking size XXXL		-
measures & size		
length		250 mm
width		150 mm
heigth		-
weights		
size	net weight	gross weight
XS	-	-
S	46 g	48 g
М	48 g	50 g
L	50 g	52 g
XL 52 g		54 g
XXL	-	-
XXXL	-	-

LOGISTIC DATA I	PALETTE		
general information	n		
kind of palett		euro-palette	
measures & size			
cartons per layer		6	
layers per palette		6	
heigth of the palette		183 cm	
weights			
size	net weight	gross weight	
XS	-	-	
S	267 g	292 g	
M	277 g	302 g	
L	288 g	313 g	
XL	298 g	323 g	
XXL	-	-	
XXXI	-	_	



LOGISTIC DATA	OUTER PACKING	
generell information	on	
material	carton	
subpackings per outer packing		144
GTIN outer packing size XS		-
GTIN outer packing size S		4044941003726
GTIN outer packing size M		4044941003733
GTIN outer packing size L		4044941003740
GTIN outer packing size XL		4044941003757
GTIN outer packing size XXL		-
GTIN outer packing size XXXL		-
PZN outer packing size XS		-
PZN outer packing size S		-
PZN outer packing size M		-
PZN outer packing size L		-
PZN outer packing size XL		-
PZN outer packing size XXL		-
PZN outer packing size XXXL		-
measures & size		
length		375 mm
width		300 mm
heigth		2850 mm
weights		
size	net weight	gross weight
XS	-	-
S	6.912 g	7.412 g
M	7.200 g	7.700 g
L	7.488 g	7.988 g
XL	7.776 g	8.276 g
XXL	-	-
XXXL	-	





21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01160

Description: Clean Expert Nitril

Nitrile glove

green, non sterile, powder free



WARNINGS AND SAFETY INFORMATION

storage / expiry date

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

warnings/ allergy information This product contains dithiocarbamates, which may cause allergic reactions

donning and doffing instructions











rev-no.:

date 08. 08.2024

changes and errors excepted