

Technical	Data She	et					
Article-No.:	01037						
Description:	MED-COMFORT Premium Grip Latex examination glove white, non sterile, powder free					E C	
THICKNESS						a description of the second seco	
cuff	palm fir	ngertips					
0,08 mm	0,10 mm 0,	.12 mm					
PRODUCT DESCRIP	PTION						
material	☑ Latex	Nitrile	Vinyl	Vinyl-Nitrile- mixture	Polyethy-lene (PE)	🗆 ТРЕ	
colour	☑ white	blue	black	mint	purple	mix	apple-green
characteristics	prepowdered		sterile	✓ non sterile	✓ ambidex- trous	fits hand- specific	biodgra- dable
surface	✓ full textured	└ finger textured	not textured	□ embossed	polymer coate	d inside	
SIZES			1		J		
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm ≥ 240 mm	80 ± 10 mm ≥ 240 mm	95 ± 10 mm ≥ 240 mm	110 ± 10 mm ≥ 240 mm	115 ± 10 mm ≥ 240 mm	-	-
length		2 240 11111	2 240 11111	2 240 11111	2 240 11111	-	-
REGULATORY AFF							
PPE-Regulation (EU) 2016/425	Category I	Category II	Category III	no PPE-article			CE
MD-Regulation (EU) 2017/745	Class I	Class II a	Class III	└ sterile	☐ measuring function	no medical device	
Food Contact (EG) 1935/2004	☑ acidic foods	aqueous foods	☐ fatty foods	☐ alcoholic foods	└॒┘ dry foods	 not approved for food- contact 	R
STANDARDISATIO	N	•	-	•	•	•	<u>.</u>
EN 388 Mechanical Risks	abrasion resistance	blade cut resistance Coupe-Test	tear resistance	puncture resistance	blade cut resistance TDM-Test	impact test	
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide		К	6	> 480 min	-26,2 %	ISO 374-1/Type B
	Hydrogen Peroxide		P	3	> 60 min	-57,8 %	
EN 374-4 Degradation	Formaldehyde 379	ò	T	6	> 480 min	-26,6 %	
							КРТ
EN 374-5 microorganism tightness	The glove is tight a	gainst microorgani	sms (viral, bacteria	and fungi). Test acco	ording to ISO 16604 ·	- method B.	EN ISO 374-5:2016
EN 420 protective gloves	The glove meets th	The glove meets the requirements according to EN 420					
EN 455 medical gloves for single use		The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4				EN 455	
EN 455-1 freedom from holes	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)			AQL (1.5)			
ISO 18889 Pesticide application	not applicable						



AMPri Handelsgesellschaft mbH Benzstraße 16

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01037

Description:

MED-COMFORT Premium Grip Latex examination glove white, non sterile, powder free

LOGISTIC DATA	SUBPACKING		
generell information	on		
material		carton	
pieces per subpack	ing	100	
GTIN subpacking si	ze XS	4044941720319	
GTIN subpacking si	ze S	4044941720333	
GTIN subpacking si	ze M	4044941720357	
GTIN subpacking si	ze L	4044941720371	
GTIN subpacking si	ze XL	4044941720395	
GTIN subpacking si	ze XXL	-	
GTIN subpacking si	ze XXXL	-	
PZN subpacking siz	e XS	16835379	
PZN subpacking siz	e S	16835362	
PZN subpacking siz	e M	16825356	
PZN subpacking siz	e L	16865333	
PZN subpacking siz	e XL	16835385	
PZN subpacking size XXL		-	
PZN subpacking size XXXL		-	
measures & size			
length		240 mm	
width		120 mm	
heigth		75 mm	
weights			
size	net weight	gross weight	
XS	500 g	560 g	
S	550 g	610 g	
М	600 g	660 g	
L	650 g	710 g	
XL	700 g	760 g	
XXL	-	-	
XXXL	-	-	

LOGISTIC DATA PALETTE				
general informatio	n			
kind of palett		euro-palette		
measures & size				
cartons per layer		9		
layers per palette		7		
heigth of the palette		173 cm		
weights				
size	net weight	gross weight		
XS	384 g	409 g		
S	416 g	441 g		
М	447 g	472 g		
L	479 g	504 g		
XL	510 g	535 g		
XXL	-	-		
XXXL	-	-		



LOGISTIC DATA O	UTER PACKING	
generell information	I	
material	carton	
subpackings per oute	10	
GTIN outer packing si	4044941720326	
GTIN outer packing si	4044941720340	
GTIN outer packing si	4044941720364	
GTIN outer packing si	4044941720388	
GTIN outer packing si	40449417520401	
GTIN outer packing si	-	
GTIN outer packing si	-	
PZN outer packing siz	ze XS	-
PZN outer packing siz	ze S	-
PZN outer packing siz	ze M	-
PZN outer packing siz	ze L	-
PZN outer packing siz	-	
PZN outer packing siz	-	
PZN outer packing siz	-	
measures & size		
length	343 mm	
width	233 mm	
heigth	225 mm	
weights		
size	net weight	gross weight
XS	5.600 g	6.100 g
S	6.100 g	6.600 g
М	6.600 g	7.100 g
L	7.100 g	7.600 g
XL	7.600 g	8.100 g
XXL	-	-
XXXL	-	-



Technical Data Sheet

Article-No.: 01037

Description: MED-COMFORT Premium Grip Latex examination glove white, non sterile, powder free



WARNINGS AND SAFETY INFORMATION

storage / expiry date	Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.				
use and control	Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage.				
disposal	Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.				
disinfection	Disinfection is not intended for these gloves and is the responsibility of the user.				
warnings/ allergy information	Protective gloves are intended for single use only. This product contains dithiocarbamates and natural latex, which can trigger allergic reactions, including anaphylactic reactions				
donning and doffing instructions					