

Benzstraße 16 21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de


# **4M**Pri

## **Technical Data Sheet**

Article-No.: 01034

Description: MED-COMFORT Polymer Plus

Latex examination glove white, non sterile, powder free





PRODUCT DESCRIP	TION						
material	☑ Latex	□ Nitrile	□ Vinyl	☐ Vinyl-Nitrile- mixture	Polyethy-lene (PE)	□ ТРЕ	□ cotton
colour	☑ white	☐ blue	black	☐ mint	□ purple	☐ mix	☐ apple-green
characteristics	☐ prepowdered	powderfree	☐ sterile	non sterile	☑ ambidex-	☐ fits hand-	☐ biodgra-
					trous	specific	dable
surface	✓ full textured	finger textured	not textured	☐ embossed	polymer coate	d inside	
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
REGULATORY AFFA	AIRS						
PPE-Regulation	☐ Category I	☐ Category II	Category III	☐ no PPE-article			
(EU) 2016/425			<u> </u>				
MD-Regulation	✓ Class I	Class II a	☐ Class III	☐ sterile	□ measuring	no medical	CE
(EU) 2017/745					function	device	
Food Contact	☑ acidic foods	☑ aqueous	☐ fatty foods	☑ alcoholic	☑ dry foods	☐ not approved	
(EG) 1935/2004		foods		foods		for food-	ו אל
						contact	<i>J</i> C.
C=4.ND 4.DD (C4.=) C4		l				l	
STANDARDISATION							
EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	resistance		resistance	resistance		
Level	not applicable	Coupe-Test			TDM-Test		-
			d. latter	11		de sue de Mess	
EN 374-1	chemical	400/	code letter	level	> 480 min	degradation	ICO 274 1/T D
Chemical Risks	Sodium hydroxide		K P	6 5	> 480 min	-42,9 %	ISO 374-1/Type B
	Hydrogen Peroxide Formaldehyde 37%		T	2	> 240 min	22,8 % 5,0 %	
EN 374-4	Formaldenyde 379	0	'	2	> 30 mm	5,0 %	$(\Delta)$
Degradation							
							KPT
EN 374-5	The glove is tight a	gainst microorganis	ms (viral, bacteria a	and fungi). Test acco	ording to ISO 16604 -	- method B.	EN ISO 374-5:2016
microorganism		0	, ,	0,	· ·		( <del>&amp;</del> )
tightness							VIRUS
EN 420 protective	The glove meets th	ne requirements acc	cording to EN 420				
gloves	The glove meets ti	ic requirements acc	ording to Liv 420				
B. C 7 C C							
EN 455	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4				EN		
medical gloves for							
single use					455		
EN 455-1	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1,					AQL	
freedom from holes	general Inspection Level I)				1.5		
ISO 18889	not applicable						



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de

e-mail: info@ampri.de

## **Technical Data Sheet**

Article-No.: 01034

Description: MED-COMFORT Polymer Plus

Latex examination glove white, non sterile, powder free

LOGISTIC DATA S		
generell informatio	1	
material		carton
pieces per subpackir	100	
GTIN subpacking size		4044941000817
GTIN subpacking size	4044941000824	
GTIN subpacking size	4044941000831	
GTIN subpacking size	4044941000848	
GTIN subpacking size	4044941000855	
GTIN subpacking size	-	
GTIN subpacking size	-	
PZN subpacking size	15591797	
PZN subpacking size	15591828	
PZN subpacking size	15591811	
PZN subpacking size	15591805	
PZN subpacking size	15591834	
PZN subpacking size	=	
PZN subpacking size	-	
measures & size		
length	240 mm	
width	120 mm	
heigth	70 mm	
weights		
size	net weight	gross weight
XS	550 g	610 g
S	600 g	660 g
М	650 g	710 g
L	700 g	760 g
XL	750 g	810 g
XXL	-	-
XXXL	_	_

LOGISTIC DATA	PALETTE		
general information	1		
kind of palett		euro-palette	
measures & size			
cartons per layer		9	
layers per palette		7	
heigth of the palette		189 cm	
weights			
size	net weight	gross weight	
XS	416 g	441 g	
S	447 g	472 g	
М	479 g	504 g	
L	510 g	535 g	
XL	542 g	567 g	
XXL	-	-	
XXXI	-	_	



LOGISTIC DATA	OUTER PACKING		
generell information			
material		carton	
subpackings per ou	ter packing	10	
GTIN outer packing	size XS	4044941002712	
GTIN outer packing	size S	4044941002729	
GTIN outer packing	size M	4044941002736	
GTIN outer packing	4044941002743		
GTIN outer packing	4044941002750		
GTIN outer packing	-		
GTIN outer packing	size XXXL	-	
PZN outer packing	size XS	-	
PZN outer packing	size S	-	
PZN outer packing	size M	-	
PZN outer packing	size L	-	
PZN outer packing	size XL	-	
PZN outer packing	size XXL	-	
PZN outer packing :	size XXXL	-	
measures & size			
length		260 mm	
width		260 mm	
heigth		248 mm	
weights			
size	net weight	gross weight	
XS	6.100 g	6.600 g	
S	6.600 g	7.100 g	
M	7.100 g	7.600 g	
L	7.600 g	8.100 g	
XL	8.100 g	8.600 g	
XXL	-	-	
XXXL	-		





## AMPri Handelsgesellschaft mbH

Benzstraße 16

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

## **Technical Data Sheet**

**4M**Pri

Article-No.: 01034

Description: MED-COMFORT Polymer Plus

Latex examination glove white, non sterile, powder free



### WARNINGS AND SAFETY INFORMATION

## storage / expiry date

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

#### use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

## disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

#### disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

#### warnings/ allergy information

Protective gloves are intended for single use only.

This product contains dithiocarbamates and natural latex, which can trigger allergic reactions, including anaphylactic reactions

## donning and doffing instructions











rev-no.: 10

date 09.09.2024 changes and errors excepted