

21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

4MPri

Article-No.: 01171

Description: STYLE 4 ELEMENTS

Nitrile examination glove mix, non sterile, powder free





PRODUCT DESCRIP	PTION						
material	Latex	✓ Nitrile	☐ Vinyl	☐ Vinyl-Nitrile- mixture	Polyethy-lene (PE)	□ ТРЕ	cotton
colour	white	blue	black	☐ mint	☐ purple	✓ mix	□ apple-green
characteristics	☐ prepowdered	powderfree	☐ sterile	non sterile	☑ ambidex-	fits hand-	☐ biodgra-
					trous	specific	dable
surface	full textured	✓ finger textured	not textured	embossed	chlorinated in:	side	
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
REGULATORY AFF							
PPE-Regulation (EU) 2016/425	☐ Category I	☐ Category II	✓ Category III	☐ no PPE-article			
MD-Regulation	☑ Class I	☐ Class II a	☐ Class III	□ sterile	☐ measuring	no medical	CE
(EU) 2017/745					function	device	, ,
Food Contact	☑ acidic foods	☑ aqueous	☐ fatty foods	☑ alcoholic	☑ dry foods	☐ not approved	
(EG) 1935/2004		foods	,	foods	,	for food-	ן קר
, , , , , , , , , , , , , , , , , , , ,						contact	JC1
STANDARDISATIO	N						
EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	resistance		resistance	resistance		
		Coupe-Test			TDM-Test		
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide	40%	K	6	> 480 min	15,1 %	ISO 374-1/Type B
	Hydrogen Peroxide	e 30%	Р	2	> 30 min	-74,7 %	==
EN 374-4	Formaldehyde 379	%	T	5	> 240 min	24,0 %	100
Degradation							
							\bigcirc
							KPT
EN 374-5 microorganism tightness	The glove is tight a	against microorgani	sms (viral, bacteria a	and fungi). Test acco	ording to ISO 16604	- method B.	EN 150 374-5:2016 VIRUS
EN ISO 21420 protective gloves	The glove meets th	ne requirements acc	cording to EN ISO 21	1420			
EN 455 medical gloves for single use	The glove meets th	he requirements acc	cording to EN 455-1	, EN 455-2, EN 455-3	3, EN 455-4		EN 455
EN 455-1	The glove has an A	QL < 1.5 in regards	to the water retent	ion test (sampling i	inspection in acc. to	ISO 2859-1.	AQL
freedom from holes	general Inspection	•			.,,		1.5
ISO 18889	not applicable						



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de

lomepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: **01171**

Description: STYLE 4 ELEMENTS

Nitrile examination glove mix, non sterile, powder free

LOGISTIC DATA	SUBPACKING		
generell information	on		
material	carton		
pieces per subpack	96		
GTIN subpacking si	4044941734149		
GTIN subpacking size S		4044941734163	
GTIN subpacking size M		4044941734187	
GTIN subpacking size L		4044941734200	
GTIN subpacking size XL		4044941734224	
GTIN subpacking size XXL		-	
GTIN subpacking si	ze XXXL	=	
PZN subpacking siz	e XS	19142435	
PZN subpacking siz	19142441		
PZN subpacking siz	19142458		
PZN subpacking size L		19142464	
PZN subpacking size XL		19142493	
PZN subpacking size XXL		-	
PZN subpacking size XXXL		-	
measures & size			
length		215 mm	
width		120 mm	
heigth		60 mm	
weights			
size	net weight	gross weight	
XS	326 g	386 g	
S	346 g	406 g	
M	365 g	425 g	
L	394 g	454 g	
XL	432 g	492 g	
XXL	=	-	
XXXL	-	-	

LOGISTIC DATA	PALETTE	
general information	n	
kind of palett		euro-palette
measures & size		
cartons per layer		10
layers per palette		8
heigth of the palett	e	199 cm
weights		
size	net weight	gross weight
XS	349 g	374 g
S	365 g	390 g
M	380 g	405 g
L	403 g	428 g
XL	434 g	459 g
XXL	=	-
XXXL	-	-



LOGISTIC DATA			
generell informatio	n		
material		carton	
subpackings per out	10		
GTIN outer packing size XS		4044941734156	
GTIN outer packing	4044941734170		
GTIN outer packing	4044941734194		
GTIN outer packing	4044941734217		
GTIN outer packing	4044941734231		
GTIN outer packing	-		
GTIN outer packing	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing s	-		
PZN outer packing size XXL		-	
PZN outer packing s	-		
measures & size			
length		315 mm	
width		255 mm	
heigth		230 mm	
weights			
size	net weight	gross weight	
XS	3.860 g	4.360 g	
S	4.060 g	4.560 g	
М	4.250 g	4.750 g	
L	4.540 g	5.040 g	
XL	4.920 g	5.420 g	
XXL	-	-	
XXXL			



AMPri Handelsgesellschaft mbH

Benzstraße 16

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0

Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01171

Description: STYLE 4 ELEMENTS

Nitrile examination glove mix, non sterile, powder free



WARNINGS AND SAFETY INFORMATION

storage / expiry date

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

warnings/ allergy information Protective gloves are intended for single use only.

This product contains dithiocarbamates, which may cause allergic reactions

donning and doffing instructions











rev-no.:

date 10.09.2024 changes and errors excepted