

AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de

Homepage: www.ampri.de e-mail: info@ampri.de

Technical	Data She	et			Style Latex	coCedro	- Det
Article-No.: Description:	Latex surgio	TEX CEDRO al gloves sterile, powde	r free			TEX UNTERSUCHUNGSHANDSCH Abit der Persö Breche gener UNE LATTE FLANINATION GLOVE Housek - Anthreams	
THICKNESS cuff 0,12 mm		ngertips 1,18 mm					
PRODUCT DESCRIP							
material	☑ Latex	Nitrile	Vinyl	Vinyl-Nitrile- mixture	Polyethy-lene (PE)	TPE	cotton
colour characteristics	whiteprepowdered	□ blue☑ powderfree	black sterile	☐ mint☑ non sterile	 purple ambidex- trous 	 mix fits hand- specific 	 cedro biodgra- dable
surface	✓ full textured	☐ finger textured	not textured	embossed	double chlorin		
SIZES	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width length	≤ 80 mm ≥ 240 mm	80 ± 10 mm ≥ 240 mm	95 ± 10 mm ≥ 240 mm	110 ± 10 mm ≥ 240 mm	-	-	-
REGULATORY AFFA PPE-Regulation (EU) 2016/425	AIRS	Category II	Category III	no PPE-article	e		
MD-Regulation (EU) 2017/745	Class I	Class II a	Class III	□ sterile	measuring function	no medical device	CE
Food Contact (EG) 1935/2004	☑ acidic foods	✓ aqueous foods	☐ fatty foods	alcoholic foods	✓ dry foods	 not approved for food- contact 	קא
STANDARDISATION	N						
EN 388 Mechanical Risks	abrasion resistance	blade cut resistance Coupe-Test	tear resistance	puncture resistance	blade cut resistance TDM-Test	impact test	
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide Hydrogen Peroxid		K P	5	> 240 min > 60 min	-19,2 % -14,0 %	ISO 374-1/Type B
EN 274 4	Formaldehyde 379		T	2	> 30 min	-66,3 %	
EN 374-4 Degradation							
EN 374-5 microorganism tightness	The glove is tight a	against microorgan	sms (viral, bacteria	and fungi). Test acc	cording to ISO 16604 -	- method B.	EN ISO 374-5-2016
EN ISO 21420 protective gloves	The glove meets t	he requirements ac	cording to EN ISO 2	1420			
EN 455 medical gloves for single use	The glove meets t	he requirements ac	cording to EN 455-1	., EN 455-2, EN 455-	-3, EN 455-4		EN 455
EN 455-1 freedom from holes	The glove has an A general Inspection	•	to the water retent	tion test (sampling	g inspection in acc. to	ISO 2859-1,	AQL (1.5)
ISO 18889 Pesticide application	not applicable						



AMPri Handelsgesellschaft mbH Benzstraße 16

21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: **14-008**

Description:

STYLE LATEX CEDRO Latex surgical gloves cedro, non sterile, powder free

LOGISTIC DATA	SUBPACKING			
generell information	on			
material		carton		
pieces per subpack	ing	100		
GTIN subpacking si	ze XS	4044941012209		
GTIN subpacking si	ze S	4044941012216		
GTIN subpacking si	ze M	4044941012223		
GTIN subpacking si	ze L	4044941012230		
GTIN subpacking si	ze XL	-		
GTIN subpacking si	ze XXL	-		
GTIN subpacking si	ze XXXL	-		
PZN subpacking siz	e XS	15566368		
PZN subpacking siz	e S	15566345		
PZN subpacking siz	e M	15566339		
PZN subpacking siz	e L	15566322		
PZN subpacking size XL		-		
PZN subpacking size XXL		-		
PZN subpacking size XXXL		-		
measures & size				
length		240 mm		
width		125 mm		
heigth		75 mm		
weights				
size	net weight	gross weight		
XS	540 g	600 g		
S	580 g	640 g		
М	620 g	680 g		
L 660 g		720 g		
XL	-	-		
XXL	-	-		
XXXL	-	-		

LOGISTIC DATA	PALETTE		
general informatio	n		
kind of palett		euro-palette	
measures & size			
cartons per layer		9	
layers per palette		7	
heigth of the palette		190 cm	
weights			
size	net weight	gross weight	
XS	410 g	435 g	
S	435 g	460 g	
М	460 g	485 g	
L	485 g	510 g	
XL	-	-	
XXL	-	-	
XXXL	-	-	



LOGISTIC DATA (DUTER PACKING	
generell informatio	n	
material	carton	
subpackings per out	10	
GTIN outer packing	size XS	4044941012254
GTIN outer packing	4044941012261	
GTIN outer packing	4044941012278	
GTIN outer packing	4044941012285	
GTIN outer packing	-	
GTIN outer packing	-	
GTIN outer packing	-	
PZN outer packing s	ize XS	-
PZN outer packing s	-	
PZN outer packing s	ize M	-
PZN outer packing s	ize L	-
PZN outer packing s	-	
PZN outer packing s	-	
PZN outer packing s		
measures & size		
length	390 mm	
width	260 mm	
heigth	250 mm	
weights		
size	net weight	gross weight
XS	6.000 g	6.500 g
S	6.400 g	6.900 g
М	6.800 g	7.300 g
L	7.200 g	7.700 g
XL	-	-
XXL	-	-
XXXL -		-



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 14-008

Description:

STYLE LATEX CEDRO Latex surgical gloves cedro, non sterile, powder free



WARNINGS AND SAFETY INFORMATION storage / expiry Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone date sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging. Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that use and control the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage. disposal Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste. disinfection Disinfection is not intended for these gloves and is the responsibility of the user. warnings/ Protective gloves are intended for single use only. This product contains dithiocarbamates and natural latex, which can trigger allergic reactions, including anaphylactic reactions allergy information donning and doffing instructions

changes and errors excepted