



21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0


Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01196


Description: MED_COMFORT HIGH RISK

Nitrile examination glove blue, non sterile, powder free






PRODUCT DESCRIP	TION						
material	Latex	✓ Nitrile	□ Vinyl	☐ Vinyl-Nitrile- mixture	Polyethy-lene (PE)	☐ TPE	□ cotton
colour	☐ white	✓ blue	black	☐ mint	☐ purple	☐ mix	apple-green
characteristics	□ prepowdered	powderfree	☐ sterile	non sterile	ambidex-	☐ fits hand-	☐ biodgra-
					trous	specific	dable
surface	✓ full textured	finger textured	not textured	embossed	chlorinated ins	side	
SIZES							
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	-	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	125 ± 10 mm	135 ± 10 mm
length	-	300 ± 10 mm	300 ± 10 mm	300 ± 10 mm	300 ± 10 mm	300 ± 10 mm	300 ± 10 mm
REGULATORY AFFA	IRS						
PPE-Regulation	☐ Category I	☐ Category II	✓ Category III	☐ no PPE-article			
(EU) 2016/425					1		
MD-Regulation	☑ Class I	☐ Class II a	☐ Class III	□ sterile	☐ measuring	no medical	CE
(EU) 2017/745					function	device	
Food Contact	☑ acidic foods	☑ aqueous	✓ fatty foods	☑ alcoholic	✓ dry foods	not approved	
(EG) 1935/2004		foods	,	foods	,	for food-	\J"
(==, ====, === :						contact	<i>J</i> C1
STANDARDISATION							
EN 388 Mechanical	abrasion	blade cut	tear resistance	puncture	blade cut	impact test	
Risks	resistance	resistance		resistance	resistance		
		Coupe-Test			TDM-Test		
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	n-Heptane		J	4	> 120 min	17,5 %	ISO 374-1/Type A
	Sodium hydroxide		K	6	> 480 min	27,0 %	
EN 374-4	Ammonium Hydro		0	2	> 30 min	34,5 %	()()
Degradation	Hydrogen Peroxide		Р	4	> 120 min	16,8 %	
	Hydrofloric Acid 40		S	2	> 30 min	Х	~
	Formaldehyde 37%		T	4	> 120 min	17,3 %	JKOPST
EN 374-5 microorganism tightness	The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B.			EN ISO 374-5:2016 VIRUS			
EN ISO 21420 protective gloves	The glove meets th	ne requirements acc	cording to EN ISO 21	420			
EN 455 medical gloves for single use	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4				EN 455		
EN 455-1 freedom from holes	The glove has an AQL < 0.65 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)					AQL (0.65)	
ISO 18889 Pesticide application	not applicable						



21423 Winsen (Luhe) - Germany





4MPri

Article-No.: 01196

Description: MED_COMFORT HIGH RISK


> Nitrile examination glove blue, non sterile, powder free

LOGISTIC DATA	SUBPACKING		
generell informati	on		
material		carton	
pieces per subpack	king	50	
GTIN subpacking si	ze XS	4044941005300	
GTIN subpacking si	ze S	4044941737348	
GTIN subpacking si	ze M	4044941737362	
GTIN subpacking si	ze L	4044941737386	
GTIN subpacking si	ze XL	4044941737416	
GTIN subpacking si	ze XXL	4044941737430	
GTIN subpacking si	ze XXXL	4044941736662	
PZN subpacking siz	e XS	-	
PZN subpacking siz	e S	-	
PZN subpacking siz	e M	-	
PZN subpacking size L		-	
PZN subpacking size XL		-	
PZN subpacking size XXL		-	
PZN subpacking size XXXL		-	
measures & size			
length		265 mm	
width		125 mm	
heigth		70 mm	
weights			
size	net weight	gross weight	
XS	-	-	
S	480 g	540 g	
M	525 g	585 g	
L	560 g	620 g	
XL	600 g	660 g	
XXL	640 g	700 g	
XXXL	660 g	720 g	

LOGISTIC DATA PALETTE					
general informatio	eral information				
kind of palett		euro-palette			
measures & size					
cartons per layer		8			
layers per palette	yers per palette 6				
heigth of the palette 180 c		180 cm			
weights	weights				
size	net weight	gross weight			
XS	•	-			
S	283 g	308 g			
М	305 g	330 g			
L	322 g	347 g			
XL	341 g	366 g			
XXL	360 g	385 g			
XXXL	370 g	395 g			



	OUTER PACKING			
generell information	on			
material		carton		
subpackings per ou		10		
GTIN outer packing		4044941005355		
GTIN outer packing		4044941737355		
GTIN outer packing		4044941737379		
GTIN outer packing	4044941737393			
GTIN outer packing	4044941737423			
GTIN outer packing	4044941737447			
GTIN outer packing	size XXXL	4044941736686		
PZN outer packing	size XS	-		
PZN outer packing	size S	-		
PZN outer packing	size M	-		
PZN outer packing	size L	-		
PZN outer packing	size XL	-		
PZN outer packing	size XXL	-		
PZN outer packing	-			
measures & size				
length		365 mm		
width		260 mm		
heigth		275 mm		
weights				
size	net weight	gross weight		
XS	-	-		
S	5.400 g	5.900 g		
M	5.850 g	6.350 g		
L 6.200 g		6.700 g		
XL 6.600 g		7.100 g		
XXL 7.000 g		7.500 g		
XXXL 7.200 g		7.700 g		





21423 Winsen (Luhe) - Germany

Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical Data Sheet

Article-No.: 01196

Description: MED_COMFORT HIGH RISK

Nitrile examination glove blue, non sterile, powder free



WARNINGS AND SAFETY INFORMATION

storage / expiry date

Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.

use and control

Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers only to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical.

Before use, the gloves must be checked for holes or damage.

disposal

Used gloves must be disposed of after contact with chemicals in accordance with the disposal regulations for the chemical and the regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.

disinfection

Disinfection is not intended for these gloves and is the responsibility of the user.

warnings/ allergy information Protective gloves are intended for single use only.

This product contains dithiocarbamates, which may cause allergic reactions

donning and doffing instructions











rev-no.: 0

date 16.09.2024

changes and errors excepted