

AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

Technical	Data She	et					
Article-No.:	01199						
Description:	ECO-PLUS Nitrile examination glove white, non sterile, powder free						
	white, non s	sterne, powde	lillee				
	palm fir	ngertips					
0,06 mm	•	,10 mm					
PRODUCT DESCRIP							
material	Latex	☑ Nitrile	□ Vinyl	Vinyl-Nitrile- mixture	Polyethy-lene (PE)	🗆 ТРЕ	□ cotton
colour	☑ white	blue	black	mint	purple	🗌 mix	dark-blue
characteristics	prepowdered		sterile	☑ non sterile	✓ ambidex- trous	fits hand- specific	biodgra- dable
surface	└ full textured	✓ finger textured	□ not textured	└─ embossed	└┘ chlorinated ins	side	
SIZES				ı	I		ı
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
width	≤ 80 mm	80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm	-	-
length	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm	-	-
REGULATORY AFFA PPE-Regulation (EU) 2016/425	AIRS Category I	Category II	Category III	no PPE-article			
MD-Regulation (EU) 2017/745	Class I	Class II a	Class III	□ sterile	measuring function	no medical device	CE
Food Contact (EG) 1935/2004	☑ acidic foods	☑ aqueous foods	☑ fatty foods	<ul> <li>✓ alcoholic foods</li> </ul>	dry foods	not approved for food- contact	זא
STANDARDISATION	N						
EN 388 Mechanical Risks	abrasion resistance	blade cut resistance Coupe-Test	tear resistance	puncture resistance	blade cut resistance TDM-Test	impact test	
Level	not applicable						
EN 374-1	chemical		code letter	level	permeation time	degradation	
Chemical Risks	Sodium hydroxide		К	6	> 480 min	15,1 %	ISO 374-1/Type B
EN 374-4	Hydrogen Peroxide Formaldehyde 379		P T	2	> 30 min > 240 min	-74,7 % 24,0 %	()))
Degradation						24,070	
EN 374-5 microorganism tightness	The glove is tight against microorganisms (viral, bacteria and fungi). Test according to ISO 16604 - method B.				KPT		
EN ISO 21420 protective gloves	The glove meets th	he requirements acc	cording to EN ISO 21	1420			
EN 455 medical gloves for single use	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4			EN 455			
EN 455-1 freedom from holes	The glove has an AQL < 1.5 in regards to the water retention test ( sampling inspection in acc. to ISO 2859-1, general Inspection Level I)					AQL (1.5)	
ISO 18889 Pesticide application	not applicable						



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany

23 WINSEN (LUNE) - GERMANY Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

## **Technical Data Sheet**

## Article-No.: 01199

Description:

ECO-PLUS

Nitrile examination glove white, non sterile, powder free

LOGISTIC DATA SUBPACKING				
generell information	on			
material	carton			
pieces per subpack	ing	100		
GTIN subpacking si	ze XS	4044941000930		
GTIN subpacking si	ze S	4044941000947		
GTIN subpacking si	ze M	4044941000954		
GTIN subpacking size L		4044941000961		
GTIN subpacking size XL		4044941000978		
GTIN subpacking size XXL		-		
GTIN subpacking size XXXL		-		
PZN subpacking size XS		16902348		
PZN subpacking siz	e S	15622351		
PZN subpacking siz	e M	15622368		
PZN subpacking size L		15622345		
PZN subpacking size XL		15622339		
PZN subpacking size XXL		-		
PZN subpacking size XXXL		-		
measures & size				
length		220 mm		
width		115 mm		
heigth		55 mm		
weights				
size	net weight	gross weight		
XS	340 g	400 g		
S	360 g	420 g		
М	380 g	440 g		
L	410 g	470 g		
XL	450 g	510 g		
XXL	-	-		
XXXL	-	-		

LOGISTIC DATA PALETTE				
general informatio	n			
kind of palett		euro-palette		
measures & size				
cartons per layer	10			
layers per palette		8		
heigth of the palet	te	205 cm		
weights				
size	net weight	gross weight		
XS	360 g	385 g		
S	376 g	401 g		
М	392 g	417 g		
L	416 g	441 g		
XL	448 g	473 g		
XXL	-	-		
XXXL	-	-		



generell information		
material		carton
subpackings per oute	10	
GTIN outer packing s	ize XS	404494100247
GTIN outer packing s	4044941002484	
GTIN outer packing s	4044941002491	
GTIN outer packing s	4044941002507	
GTIN outer packing s	4044941002514	
GTIN outer packing s	-	
GTIN outer packing s	ize XXXL	-
PZN outer packing siz	ze XS	-
PZN outer packing size	ze S	-
PZN outer packing size	-	
PZN outer packing size	ze L	-
PZN outer packing size	-	
PZN outer packing size	-	
PZN outer packing size	-	
measures & size		
length		290 mm
width		240 mm
heigth		237 mm
weights		-
size	net weight	gross weight
XS	4.000 g	4.500 g
S	4.200 g	4.700 g
М	4.400 g	4.900 g
L	4.700 g	5.200 g
XL	5.100 g	5.600 g
XXL	-	-
XXXL	-	-



AMPri Handelsgesellschaft mbH Benzstraße 16 21423 Winsen (Luhe) - Germany Telefon: +49 (0)4171 / 8480-0 Homepage: www.ampri.de e-mail: info@ampri.de

## **Technical Data Sheet**

Article-No.: 01199

Description:

**ECO-PLUS** Nitrile examination glove white, non sterile, powder free



storage / expiry date	Store gloves in original packaging in a cool and dry place without additional weight, protect from direct sunlight. Do not store near ozone sources (laser printers, copiers). The actual expiry time in use cannot be specified in general terms, as it depends on the general conditions of use. An individual risk assessment must be carried out in each case. The expiry date - valid for proper storage - is stated on the packaging.						
use and control	Always use protective gloves only for the intended use and in the correct size. A check/risk assessment must be carried out to ensure that the gloves are suitable for the intended use, as the conditions at the workplace may deviate from those of the type test depending on temperature, abrasion and degradation. Breakthrough times and permeation levels are based on laboratory measurements and are determined using samples taken from the palm of the hand. The actual duration of protection of a glove with a specific substance can vary significantly due to the conditions of use (temperature, abrasion, stretching). In the case of aggressive chemicals, degradation (change in mechanical properties) can be an important factor to consider when selecting chemical-resistant gloves. This information does not reflect the actual duration of protection in the workplace and the distinction between mixtures and pure chemicals. The chemical resistance was determined under laboratory conditions only on the basis of samples from the palm and refers only to the chemicals tested. The situation may be different if the chemical is used in a mixture. The penetration resistance was evaluated under laboratory conditions and refers onl to the tested specimen. The degradation results according to EN ISO 374-4 show the change in puncture resistance of the gloves after exposure to the tested chemical. Before use, the gloves must be checked for holes or damage.						
disposal	Used gloves must be disposed of in accordance with the disposal regulations of the local waste disposal company. Unused gloves can be disposed of with household waste.						
disinfection	Disinfection is not intended for these gloves and is the responsibility of the user.						
warnings/ allergy information	Protective gloves are intended for single use only. This product contains dithiocarbamates, which may cause allergic reactions						
donning and doffing instructions							

changes and errors excepted